



Smithsonian
Institution
Libraries

Purchased from the
CULLMAN ENDOWMENT



CATALOGUE

OF

EXOTIC PLANTS

CULTIVATED IN THE ISLAND OF MAURITIUS,

AT THE ROYAL BOTANIC GARDEN PAMPLEMOUSSES,
AT HIS EXCELLENCY THE GOVERNOR'S GARDEN
AT REDUIT, AT MON PLAISIR, BOIS CHERI, &c. &c. &c.

With an enumeration of the most remarkable indigenous Plants
of that Colony.

COMPILED AND PUBLISHED

UNDER THE AUSPICES AND AUTHORITY OF

HIS EXCELLENCY

SIR ROBERT TOWNSEND **FARQUHAR**, BARONET,

Governor, Captain-General, Vice-Admiral,

&c.

&c.

&c.

1822.

CITY OF NEW YORK

OFFICE OF THE COMMISSIONER OF THE LAND OFFICE

IN SENATE

REPORT OF THE COMMISSIONER OF THE LAND OFFICE
FOR THE YEAR 1884

ALBANY: J. B. LIPPINCOTT & CO. 1885.

PRINTED BY THE COMMISSIONER OF THE LAND OFFICE

FOR THE YEAR 1884

ALBANY: J. B. LIPPINCOTT & CO. 1885.

PRINTED BY THE COMMISSIONER OF THE LAND OFFICE

2

CLASSIS I.

MOMANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---|----------------------|---|---|---|
| CANNA. | | | | |
| <i>Indica,</i> <i>Lutea,</i> | F. Balisier, | <i>Mauritius,</i> <i>Ceylon,</i> | Belombre, | <i>Captain Bates, 1820.</i> |
| HELLENIA. | | | | |
| <i>Cærulea Br.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| HEDYCHIUM. | | | | |
| <i>Coronarum,</i> <i>Angustifolium R.</i> | | <i>India, Mauritius,</i> <i>Silhet,</i> | Reduit. | |
| KÆMPFERIA. | | | | |
| <i>Rotunda,</i> | | <i>India,</i> | Bot. Garden & Reduit | |
| AMOMUM. | | | | |
| <i>Angustifolium,</i> <i>Repens,</i> <i>Pulcherrimum,</i> | | <i>Madagascar,</i> <i>India,</i> <i>Java,</i> | Bot. Garden & Reduit, Bot. Garden & Reduit, Reduit. | <i>Mr. Rochon, 1768.</i> <i>Mr. Martin.</i> |
| ZINGIBER. | | | | |
| <i>Officinalis,</i> <i>Zerumbet,</i> | | <i>India,</i> <i>India,</i> | Cultivated. Bot. Garden & Reduit. | |
| COSTUS. | | | | |
| <i>Speciosus,</i> | | <i>India,</i> | Bot. Gard. & Bois Cheri. | |
| ALPINIA. | | | | |
| <i>Alaghas,</i> <i>Nutans,</i> | | <i>Ceylon,</i> <i>Bengal,</i> | Bot. Gard. & Bois Cheri, Bot. Garden & Reduit. | <i>N. Wallich, Esq. 1816.</i> |
| CURCUMA. | | | | |
| <i>Longa,</i> | | <i>S. of Asia,</i> | Cultivated. | |
| MARANTA. | | | | |
| <i>Arundinacea,</i> <i>Madagascariensis,</i> | E. Arrow Root, | <i>W. Indies,</i> <i>Madagascar,</i> | Cultivated, | <i>Colonel Nesbitt, 1815.</i> <i>I. V. Thompson Esq. 1815.</i> |
| BOERHAAVEA. | | | | |
| <i>Procumbens,</i> | | <i>Mauritius,</i> | | |

MONANDRIA DIGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| BLITUM. | | | | |
| <i>Virgatum,</i> | | <i>Europe,</i> | Naturalized. | |

CLASSIS II.

DIANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--|-------------------------------------|
| NYCTANTHES. | | | | |
| <i>Arbor Tristis,</i> | F. Sornnambule, | India, | Botanic Garden, Reduit and Mon-Plaisir. | |
| JASMINUM. | | | | |
| <i>Zambac,</i> | | India, | In Gardens. | |
| <i>Simplicifolium,</i> | | S. Sea Islands, | Hab. of Mr. Amic. | |
| <i>Undulatum,</i> | | India, | In Gardens. | |
| <i>Laurifolium R.</i> | | Silhet, | Bot. Garden & Reduit. | |
| <i>Auriculatum,</i> | | India, | Reduit, &c. | |
| <i>Grandiflorum,</i> | | India, | In Gardens. | |
| <i>Luteum,</i> | | India, | In Gardens. | |
| <i>Trijoliatum Lam,</i> | | Mauritius, | | |
| <i>Divaricatum Br.</i> | | New Holland, | Botanic Garden. | |
| LIGUSTRUM. | | | | |
| <i>Japonicum,</i> | | Japan, | Hab. of Mr. Amic. | |
| OLEA. | | | | |
| <i>Europea,</i> | F. Olivier, | S. of Europe, | Bot. Garden & Reduit. | |
| <i>Cernua,</i> | | Madagascar, | Botanic Garden, | Mr. Roehon, 1763. |
| <i>Fragrans,</i> | | China, | Reduit. | |
| <i>Lancea Lam,</i> | | Mauritius, | | |
| <i>Chrysophylla Lam,</i> | | Mauritius, | | |
| <i>Borbonica,</i> | | Bourbon, | Bot. Garden & Reduit, | Gov. Farquhar, 1822. |
| NORONHEA. (*) | | | | |
| <i>Chartacea,</i> | F. Ponay del'Inde, | Madagascar, | In Gardens. | |
| JUSTICIA. | | | | |
| <i>Gandarussa,</i> | Netchouli, | India, | In Gardens. | |
| <i>Picta,</i> | F. Carmantine, | Asia, | In Gardens. | |
| <i>Falcata,</i> | | Mauritius, | | |
| <i>Nasuta,</i> | | Silhet, | Bot. Garden & Reduit. | |
| <i>Spinosa,</i> | | S. America, | Bot. Garden & Reduit. | |
| GRATIOLA. | | | | |
| <i>Monniera,</i> | | Mauritius, | | |
| VERBENA. | | | | |
| <i>Bonariensis,</i> | | Buenos Ayres, | Naturalized. | |
| <i>Indica,</i> | | Ceylon, | Naturalized. | |
| <i>Spuria,</i> | | N. America, | Naturalized. | |

(*) Noronhea Indica—Stadtman.
 Thouinia Florida—Willemet
 Olea Emarginata—Lamark.
 Binia Crassifolia—Noronh.
 Mad. Voa—Laveneuné.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---|-------------------------------|--|---|--------------------------------------|
| VERBENA. | | | | |
| <i>Nodiflora,</i> <i>Mutabilis,</i> | | <i>India,</i> <i>S. America,</i> | Naturalized. Hab. of Mr. Amic. | |
| VERONICA. | | | | |
| <i>Arvensis,</i> | | <i>Europe,</i> | Hab. of Mr. Amic. | |
| ROSMARINUS. | | | | |
| <i>Officinalis,</i> | | <i>S. of Europe,</i> | Bot. Garden & Redit. | |
| SALVIA. | | | | |
| <i>Officinalis,</i> <i>Coccinea,</i> <i>Pomifera,</i> <i>Pratensis,</i> <i>Aurea,</i> | F. Sauge, | <i>Europe,</i> <i>N. America,</i> <i>Græcia,</i> <i>Europe,</i> <i>Cape of G. Hope,</i> | In Gardens. Bot. Garden & Redit. Botanic Garden, Hab. of Mr. Roussel. Hab. of Mr. Amic. | <i>Hilsenberg & Boyer, 1821.</i> |
| FRAXINUS. | | | | |
| <i>Juglandifolius,</i> <i>Nanus,</i> <i>Floribundus,</i> <i>Excelsior,</i> | E. Ash, | <i>N. America,</i> <i>Europe,</i> | Hab. of Mr. Roussel. Hab. of Mr. Roussel. Hab. of Mr. Amic. Hab. of Mr. Vincent. | |
| DIANDRIA TRIGYNIA. | | | | |
| PIPER. | | | | |
| <i>Nigrum,</i> <i>Betle,</i> <i>Latifolium,</i> <i>Sylvestre,</i> <i>Monogynum Stad.</i> <i>Portulacoïdes,</i> | E. Black Pepper, F. Betel, | <i>Malabar,</i> <i>India,</i> <i>Mauritius,</i> <i>Mauritius.</i> <i>Mauritius.</i> <i>Mauritius.</i> | Bot. Gard. & Belle-Eau, Mr. Poirre, 1749. Cultivated. | |

CLASSIS III.

TRIANDRIA MONOGYNIA.

| | | | | |
|---|--|--|--|--|
| VALERIANA. | | | | |
| <i>Rubra,</i> | | <i>Europe,</i> | In Gardens. | |
| IXIA. | | | | |
| <i>Plantaginea,</i> <i>Erecta,</i> <i>Maculata,</i> <i>Pentandra,</i> <i>Monadelphica,</i> <i>Viridiflora,</i> | | <i>Cape of G. Hope,</i> <i>Cape of G. Hope,</i> <i>Cape of G. Hope,</i> <i>Cape of G. Hope,</i> <i>Cape of G. Hope,</i> <i>Cape of G. Hope,</i> | In Gardens. In Gardens. In Gardens. In Gardens. In Gardens. In Gardens. | <i>I. V. Thompson Esq. 1816.</i> <i>I. V. Thompson Esq. 1816.</i> <i>I. V. Thompson Esq. 1816.</i> <i>I. V. Thompson Esq. 1816.</i> <i>I. V. Thompson Esq. 1816.</i> <i>I. V. Thompson Esq. 1816.</i> |
| | | | | <i>Lieut. Col. Leitch, 1815.</i> |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|------------------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| GLADIOLUS. | | | | |
| <i>Merianus,</i> | F. Glayoul de Ma- | Cape of G. Hope, | In Gardens. | <i>Gov. Farquhar, 1822.</i> |
| <i>Roseus,</i> | rianne, | | | |
| <i>Iridifolius,</i> | „ couleur de Rose, | Cape of G. Hope, | In Gardens. | |
| | „ à feuille d'Iris, | Cape of G. Hope, | In Gardens. | |
| FISILIA. | | | | |
| <i>Psittacorum,</i> | F. Bois perroquet, | Bourbon, | Bot. Garden & Reduit. | |
| WITTSENIA. | | | | |
| <i>Pyramidalis,</i> | | Mauritius. | | |
| ANTHOLYZA. | | | | |
| <i>Æthiopica,</i> | | Cape of G. Hope, | Bois Cheri. | |
| MORAEA. | | | | |
| <i>Chinensis,</i> | | China, | In Gardens. | |
| IRIS. | | | | |
| <i>Florentina,</i> | | Europe, | Botanic Garden. | |
| <i>Germanica,</i> | | S. of Europe, | Botanic Garden. | |
| KYLLINGIA. | | | | |
| <i>Trioceps,</i> | | Mauritius. | | |
| <i>Monocephala,</i> | | Mauritius. | | |
| CYPERUS. | | | | |
| <i>Papyrus,</i> | | Mauritius. | | |
| <i>Tenuiflorus,</i> | | Mauritius. | | |
| <i>Latifolius P. Th.</i> | | Mauritius. | | |
| <i>Verticillatus R.</i> | | Mauritius. | | |
| <i>Taberosus,</i> | | Mauritius. | | |
| <i>Difformis,</i> | | Mauritius. | | |
| <i>Prolifer,</i> | | Mauritius. | | |
| <i>Stellatus Noronh, M. Vinda,</i> | | Mad. & Mauritius. | | |
| <i>Pumilus,</i> | | | | |
| SCIRPUS. | | | | |
| <i>Polystachyos,</i> | | Mauritius. | | |
| <i>Quadrangularis P.</i> | | Mauritius. | | |
| <i>Th. (*)</i> | | | | |
| <i>Triangulatus R.</i> | | Mau. & Chittagong. | | |
| CENCHRUS. | | | | |
| <i>Eckinatus,</i> | | Mauritius. | | |

TRIANDRIA DIGYNIA.

| | | | | |
|---------------------|-------------------|--------|-------------|------------------------------|
| SACCHARUM. | | | | |
| <i>Officinatum,</i> | F. Canne à Sucre, | India, | Cultivated, | <i>Mr. de Labourdonnaye.</i> |

(*) *Scirpus tetragonus*—Roxburgh Flor. ind.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| ANTHISTIRIA. | | | | |
| <i>Ciliata.</i> | | | | |
| <i>Prostrata.</i> | | | | |
| ANDREPOGON. | | | | |
| <i>Contortus,</i> | | <i>Mauritius.</i> | | |
| <i>Schoenanthus,</i> | | <i>Mauritius.</i> | | |
| <i>Muricatus,</i> | F. Vetivert, | <i>Mauritius.</i> | | |
| PANICUM. | | | | |
| <i>Granulare Lam,</i> | | <i>Mauritius.</i> | | |
| <i>Barbatum Lam,</i> | | <i>Mauritius.</i> | | |
| <i>Costatum R.</i> | | <i>Mauritius.</i> | | |
| <i>Fluitans,</i> | | <i>Mauritius.</i> | | |
| <i>Italicum,</i> | F. Millet, | <i>India,</i> | Cultivated. | |
| <i>Polygamum,</i> | F. Herbe Guinée, | <i>Africa,</i> | Cultivated, | Mr. de Labourdonnaye, |
| MILIUM. | | | | |
| <i>Ramosum,</i> | | <i>Mauritius.</i> | | |
| POA. | | | | |
| <i>Tenella,</i> | | <i>Mauritius.</i> | | |
| ELEUSINE. | | | | |
| <i>Ægyptiaca,</i> | | <i>Mauritius.</i> | | |
| <i>Indica,</i> | | <i>Mauritius.</i> | | |
| ROTTBÆLLIA. | | | | |
| <i>Compressa,</i> | | <i>Mauritius.</i> | | |
| AVENA. | | | | |
| <i>Sativa,</i> | | <i>Europe,</i> | Cultivated. | |
| <i>Pensylvania,</i> | | <i>Pensylvania,</i> | Cultivated, | Doctor Burke. |
| <i>Nuda,</i> | | | Cultivated, | |
| HORDEUM. | | | | |
| <i>Hexastychon,</i> | | <i>Europe,</i> | Cultivated. | |
| <i>Vulgare,</i> | F. Orge, | <i>Sicily,</i> | Cultivated. | |
| <i>Distichon,</i> | | <i>Tartary,</i> | Cultivated. | |
| <i>Zeocriton,</i> | | <i>Tartary,</i> | Cultivated. | |
| TRITICUM. | | | | |
| <i>Hybernum,</i> | E. Wheat | | Cultivated, | Mr. de Labourdonnaye. |
| <i>Polonicum,</i> | | | Cultivated, | Doctor Burke, 1812. |

CLASSIS IV.

TETRANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|-----------------------------------|----------------------|---------------------------|--------------------------|-------------------------------------|
| GREVILLEA. | | | | |
| <i>Gibbosa Br.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| <i>Agrifolia,</i> | | <i>New Holland,</i> | Botanic Garden. | |
| SCABIOSA. | | | | |
| <i>Atropurpurea,</i> | | <i>India,</i> | In Gardens. | |
| ROUSSEAUVIA. | | | | |
| <i>Simplex,</i> | | <i>Mauritius (Pouce.)</i> | | |
| IXORA. | | | | |
| <i>Coccinea,</i> | F. Buisson ardent, | <i>India,</i> | In Gardens. | |
| <i>Alba,</i> | | <i>Mauritius,</i> | | |
| <i>Undulata R.</i> | | <i>Bengal,</i> | Belombre, | C. Telfair, Esq. |
| CALLICARPUS. | | | | |
| <i>Canus,</i> | | <i>India,</i> | Bot. Garden & Redit. | |
| <i>Lanatus,</i> | | <i>India,</i> | Redit. | |
| CUNNINGHAMIA. | | | | |
| <i>Verticillata,</i> | F. Bois-Lousteau, | <i>Mauritius,</i> | | |
| NUXIA. | | | | |
| <i>Verticillata,</i> | F. Bois Malabar, | <i>Mauritius,</i> | | |
| BUDDLEJA. | | | | |
| <i>Madagascariensis, M. Ceva,</i> | | <i>Madagascar,</i> | Bot. Garden & Redit, | Mr. Rochoa, 1768. |
| <i>Diversifolia,</i> | | <i>Java,</i> | Bot. Garden & Redit. | |
| PLANTAGO. | | | | |
| <i>Major,</i> | | <i>Europe,</i> | Naturalized. | |
| <i>Lanceolata,</i> | | <i>Europe,</i> | Naturalized. | |
| <i>Sinuata,</i> | | <i>Mauritius,</i> | | |
| CISSUS. | | | | |
| <i>Mapou, (*)</i> | F. Mapou, | <i>Mauritius,</i> | | |
| LUDWIGIA. | | | | |
| <i>Angustifolia,</i> | | <i>N. America,</i> | Naturalized. | |
| SANTALUM. | | | | |
| <i>Oblongatum Br.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| SCOPARIA. | | | | |
| <i>Dulcis,</i> | | <i>W. Indies,</i> | Redit. | |
| RIVINIA. | | | | |
| <i>Pumulus,</i> | | <i>W. Indies,</i> | Redit & in Gardens. | |

(*) *Scalanthus Malachodendron*—P. Thouars.

CLASSIS V.

PENTANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|---------------------------|------------------------------|---|--------------------------------------|
| HELIOTROPIUM. | | | | |
| <i>Peruvianum,</i> | | <i>Peru,</i> | In Gardens. | |
| <i>Indicum,</i> | | <i>Mauritius,</i> | | |
| MYOSOTIS. | | | | |
| <i>Arvensis,</i> | | <i>Europe,</i> | Naturalized. | |
| BORRAGO. | | | | |
| <i>Officinalis,</i> | <i>F. Bourrache,</i> | <i>Europe,</i> | In Gardens. | |
| <i>Indica,</i> | | <i>India,</i> | Naturalized. | |
| <i>Zeylanica,</i> | | <i>Malabar & Ceylon,</i> | Naturalized. | |
| <i>Cretica,</i> | | <i>Creta,</i> | Botanic Garden. | <i>Hilsenberg & Boyer, 1821.</i> |
| ANAGALLIS. | | | | |
| <i>Phoenicia,</i> | | <i>Europe,</i> | Botanic Garden. | |
| PLUMBAGO. | | | | |
| <i>Zeylanica,</i> | | <i>Ceylon,</i> | Bot. Garden & Reduit. | |
| LETTISOMIA. | | | | |
| <i>Speciosa R.</i> | | <i>Bengal,</i> | Bot. Garden & Reduit, <i>Governor Farguhar.</i> | |
| <i>Nervosa R.</i> | | <i>Mauritius,</i> | | |
| <i>Bonanox R.</i> | | <i>India,</i> | Reduit. | |
| <i>Cæneata R. (*)</i> | | <i>India,</i> | B. Gard. & Mon-Plaisir. | |
| CONVOLVOULUS. | | | | |
| <i>Purpureus,</i> | | <i>America,</i> | In Gardens. | |
| <i>Arvensis,</i> | | <i>Europe,</i> | Naturalized. | |
| <i>Nil,</i> | | <i>Mauritius,</i> | | |
| <i>Batatas,</i> | <i>F. Patate,</i> | <i>The Indies,</i> | Cultivated. | |
| <i>Dissectus,</i> | | <i>America,</i> | Reduit. | |
| <i>Pentaphyllus,</i> | | <i>America,</i> | In Gardens. | |
| IPOMEA. | | | | |
| <i>Grandiflora R.</i> | | <i>India,</i> | Belombre, | <i>C. Telfair, Esq.</i> |
| <i>Muricata R.</i> | | <i>Malabar,</i> | In Gardens. | |
| <i>Coccinea,</i> | | | In Gardens. | |
| <i>Tuberosa,</i> | <i>F. Liane de Goude-</i> | | Naturalized. | |
| | <i>lour,</i> | | In Gardens. | |
| <i>Qnamoclit,</i> | | <i>S. America,</i> | In Gardens. | |
| <i>Violacea,</i> | | | In Gardens. | |
| <i>Pes Capræ Br.</i> | <i>F. Patate à Durand</i> | <i>Mauritius,</i> | Botanic Garden. | |
| <i>Hepaticifolia,</i> | | <i>Mauritius,</i> | | |
| <i>Pilosa,</i> | | <i>S. America,</i> | In Gardens. | |

(*) *Ipomea astro sanguinea*—Sims Botanical Magazine.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|-----------------------------|----------------------|------------------------------|--------------------------|--------------------------------------|
| CINCHONA. (*) | | | | |
| <i>Stadtmanni. sp. nov.</i> | M. Belahé, | <i>Mad. & Mauritius.</i> | | |
| COFFEA. | | | | |
| <i>Arabica,</i> | Café, | <i>Arabia,</i> | Cultivated, | |
| <i>Capitata P. Th.</i> | | <i>Mauritius.</i> | | |
| <i>Mauritiana,</i> | F. Café marron, | <i>Mauritius.</i> | | |
| PÆDERIA. | | | | |
| <i>Fœtida, (†)</i> | | <i>Mauritius.</i> | | |
| MUSSENDIA. | | | | |
| <i>Landia Comm,</i> | M. Catafaye, | <i>Mauritius & Mad.</i> | | |
| VANGUERIA. | | | | |
| <i>Eduilis,</i> | M. Voa-yang, | <i>Madagascar,</i> | Naturalized. | |
| DANAIS. | | | | |
| <i>Fragrans,</i> | | <i>Mauritius,</i> | | |
| GARDENIA. | | | | |
| <i>Florida,</i> | | <i>China,</i> | Bot. Garden & Reduit. | |
| GUETTARDA. | | | | |
| <i>Speciosa,</i> | | <i>Coromandel,</i> | Hab. of Mr. Amic. | |
| <i>Indica,</i> | | <i>India,</i> | Botanic Garden. | |
| MORINDA. | | | | |
| <i>Citrifolia,</i> | | <i>India,</i> | Botanic Garden. | |
| LONICERA. | | | | |
| <i>Caprifolium,</i> | F. Chèvre-feuille, | <i>Europe,</i> | In Gardens, | <i>I. V. Thompson Esq. 1816.</i> |
| SCÆVOLA. | | | | |
| <i>Koenigii,</i> | | <i>Mauritius,</i> | | |
| <i>Plumieri P. Th.</i> | | <i>Mauritius.</i> | | |
| LOBELIA. | | | | |
| <i>Filiformis,</i> | | <i>Mauritius.</i> | | |
| <i>Serpens,</i> | | <i>Mauritius.</i> | | |
| MIRABILIS. | | | | |
| <i>Jalapa,</i> | F. Belle de nuit, | <i>Indies,</i> | In Gardens, | |
| <i>Variegata,</i> | | | | |
| VERBASCUM. | | | | |
| <i>Thapsus,</i> | | <i>Europe,</i> | In Gardens. | |
| <i>Undulatum,</i> | | <i>Orient,</i> | Botanic Garden, | <i>Hilsenberg & Boyer, 1821.</i> |
| DATURA. | | | | |
| <i>Stramonium,</i> | | <i>America,</i> | Naturalized. | |
| <i>Fastuosa,</i> | | <i>India,</i> | Naturalized. | |

(*) *Cinchona mauritiana*—Stadtmann.*Cinchona afroinda*—Willemet.(†) *Kliglinia*—Commerson.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|------------------------------------|-------------------------------|----------------------|---------------------------|-------------------------------------|
| BRUGMANSIA. | | | | |
| <i>Candida</i> , Persoon, | | Peru, | Reduit. | |
| NICOTIANA. | | | | |
| <i>Tabacum</i> , <i>Variet.</i> | | America. | | |
| PHYSALIS. | | | | |
| <i>Flexuosa</i> , | | Coromandel, | Bot. Garden & Reduit. | |
| <i>Tomentosa</i> , | | Cape of G. Hope, | Bot. Gard. & Mon-plaisir. | |
| <i>Pubescens</i> , | | Indies, | Reduit. | |
| SOLANUM. | | | | |
| <i>Auriculatum</i> , | Tabac marron, | Mauritius. | | |
| <i>Tuberosum</i> , | F. Pomme de terre, | Peru, | Cultivated. | |
| <i>Lycopersicum</i> , | F. Pomme d'amour, | S. America, | Cultivated. | |
| <i>Nigrum</i> , | F. Brède, | America, | Cultivated. | |
| <i>Æthiopicum</i> , | | Mauritius. | | |
| <i>Melongena</i> , | F. Beringelle, | India, | Cultivated. | |
| <i>Indicum</i> , | | India, Mauritius. | | |
| <i>Undatum</i> Lam, | | Mauritius. | | |
| <i>Grandiflorum</i> , | | Peru, | Reduit. | |
| <i>Pseudocapsicum</i> , | | Madeira, | Hab. of Mr. Roussel. | |
| CAPSICUM. | | | | |
| <i>Frutescens</i> , | F. Piment, | America, | Cultivated. | |
| <i>Annum</i> , | | | Naturalized. | |
| SERISSA. | | | | |
| <i>Fœtida</i> , | | China, | In Gardens. | |
| SIDEROXYLON. | | | | |
| <i>Laurifolium</i> , | F. Bois de fer de Bourbon, | Bourbon, | Bot. Garden & Reduit, | Gov. Farguhar, 1822. |
| STRYCHNOS. | | | | |
| <i>Vontac</i> , | M. Voa-vontac, | Madagascar, | Bot. Garden & Reduit. | |
| EHRETIA. | | | | |
| <i>Petiolaris</i> , | | Mauritius. | | |
| PRIMULA. | | | | |
| <i>Prolifera</i> , Wallich, | | Silhet, | Hab. of Mr. Amic. | |
| MENYANTHES. | | | | |
| <i>Indica</i> , | | Mauritius. | | |
| TOURNEFORTIA. | | | | |
| <i>Argentea</i> , | F. Veloutier, | Mauritius. | | |
| TECTONA. | | | | |
| <i>Grandis</i> , | F. Arbre de teck, | Malabar, Ceylon, | Bot. Garden & Reduit. | |
| RHAMNUS. | | | | |
| <i>Spina christi</i> , | | Palæstina, | Botanic Garden. | Hilsenberg & Doyer, 1821. |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|-----------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| ZIZYPHUS. | | | | |
| <i>Jujuba,</i> | F. Masson, | India, | Cultivated. | |
| GOUANIA. | | | | |
| <i>Tilicefolia,</i> | | Mauritius. | | |
| <i>Sericea sp. nov.</i> | | | Reduit. | |
| CELASTRUS. | | | | |
| <i>Pyrius Wellemet,</i> | F. Bois à poudre, | Mauritius. | | |
| PITTOSPORUM. | | | | |
| <i>Mauritianum sp. nov.</i> | | Mauritius. | | |
| ELEODENDRON. | | | | |
| <i>Indicum,</i> | F. Bois d'olive, | Mauritius. | | |
| SCOPOLIA. | | | | |
| <i>Aculeata,</i> | F. Pied de poule, | Mauritius. | | |
| LEEA. | | | | |
| <i>Sambucina,</i> | | | | |
| <i>Speciosa Jacq. fil.</i> | F. Bois sureau, | Mauritius. | | |
| <i>Arborea sp. nov.</i> | | Mauritius. | | |
| VITIS. | | | | |
| <i>Vinifera,</i> | F. Vigne, | | Cultivated in Gardens. | |
| MANGIFERA. | | | | |
| <i>Domestica,</i> | F. Manguier, | India, | Cultivated, | Mr. Lejuge. |
| VIOLA. | | | | |
| <i>Tricolor,</i> | F. La Pensée, | Europe. | | |
| <i>Apetala,</i> | | Mauritius. | | |
| <i>Odorata fl. pleno,</i> | | Europe, | Reduit, | Gov. Farquhar, 1822. |
| IMPATIENS. | | | | |
| <i>Balsamina,</i> | | Coromandel, | In Gardens. | |
| STRELEZIA. | | | | |
| <i>Regina,</i> | | Cape of G. Hope, | Hab. of Mr. Geneve. | |
| MUSA. | | | | |
| <i>Paradisiaca,</i> | F. Bananier, | India, | Cultivated. | |
| <i>Variet.</i> | | | Bois Cheri, | C. Telfair, Esq. |
| <i>Textilis, Lesch.</i> | | Manilla, | Botanic Garden, Reduit | Gov. Farquhar, 1822. |
| | | | & Bois Cheri, | C. Telfair, Esq. |
| <i>Superba,</i> | | | Bois Cheri, | |
| HELICONIA. | | | | |
| <i>Indica,</i> | | Moluccas, | Botanic Garden, | Doctor Burke. |
| ACHYRANTHES. | | | | |
| <i>Aspera,</i> | | Mauritius. | | |
| <i>Argentea,</i> | | Cape of G. Hope, | Hab. of Mr. Roussel. | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---|--------------------------|---|---|---|
| CELOSIA. | | | | |
| <i>Cristata,</i> <i>Cernua R.</i> <i>Coccinea,</i> | | <i>India,</i> <i>Coromandel,</i> <i>India,</i> | <i>In Gardens.</i> <i>Reduit,</i> <i>In Gardens.</i> | <i>N. Wallich, Esq.</i> |
| CERBERA. | | | | |
| <i>Tanghin,</i> <i>Thevetica,</i> | <i>M. Tanghin,</i> | <i>Madagascar,</i> <i>Antilies,</i> | <i>Reduit.</i> <i>In Gardens.</i> | |
| ALLAMANDA. | | | | |
| <i>Cathartica,</i> | | <i>Guiana,</i> | <i>In Gardens.</i> | |
| VINCA. | | | | |
| <i>Rosea,</i> <i>Sp. flor. Alba,</i> | | <i>Madagascar,</i> | <i>Naturalized.</i> | |
| TABERNAMONTANA. | | | | |
| <i>Persicariæfolia,</i> <i>Coronaria,</i> | <i>F. Bois de lait,</i> | <i>Mauritius.</i> <i>India,</i> | <i>Hab. of Mr. Amic.</i> | |
| NERIUM. | | | | |
| <i>Oleander,</i> <i>Grandiflorum R.</i> | | <i>India,</i> <i>India,</i> | <i>In Gardens.</i> <i>Botonic Garden, Reduit</i> <i>& Bois Cheri.</i> | |
| ECHITES. | | | | |
| <i>Acumenata R.</i> <i>Scholaris,</i> <i>Caryophyllata R.</i> | | <i>Silhet,</i> <i>Java,</i> <i>India,</i> | <i>Botanic Garden.</i> <i>Botanic Garden,</i> <i>Bois Cheri,</i> | <i>Doctor Burke.</i> <i>C. Telfair, Esq. 1821.</i> |
| FATERNA. | | | | |
| <i>Elastica, [Noronh,</i> | <i>M. Voa-hiné,</i> | <i>Madagascar,</i> | <i>Bot. Garden & Reduit.</i> | |
| PLUMIERIA. | | | | |
| <i>Alba,</i> | <i>F. Franchipanier,</i> | <i>W. Indies,</i> | <i>In Gardens.</i> | |
| PANDACA. | | | | |
| <i>Noronhæ sp. nov.</i> | <i>F. Morogasi,</i> | <i>Madagascar,</i> | <i>Botanic Garden.</i> | |
| PENTANDRIA DIGYNIA. | | | | |
| CYNANCHUM. | | | | |
| <i>Ipecacuanka,</i> | <i>F. Ipéca,</i> | <i>Mauritius.</i> | | |
| ASCLEPIAS. | | | | |
| <i>Currassavica,</i> <i>Fruticosa,</i> <i>Gigantea,</i> <i>Odoratissima,</i> | | <i>S. America,</i> <i>Cape of G. Hope,</i> <i>India, Egypt,</i> | <i>In Gardens.</i> <i>Naturalized.</i> <i>In Gardens.</i> <i>Hab. of Mr. Amic.</i> | |
| SCHOLLIA. | | | | |
| <i>Crassifolia jacq. (*)</i> | | <i>Sunda Straits,</i> | <i>Bois Cheri,</i> | <i>C. Telfair, Esq. 1821.</i> |

(*) *Hoya Carnosa*—Rob. Brown.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| CHENOPODIUM. | | | | |
| <i>Botrys,</i> | | <i>Europe,</i> | Naturalized. | |
| <i>Ambrosioides,</i> | | <i>S. America,</i> | Naturalized. | |
| ATRIPLEX. | | | | |
| <i>Hortensis,</i> | | <i>Tartary,</i> | In Gardens. | |
| BETA. | | | | |
| <i>Rubra,</i> | F. Betterave, | <i>Europe,</i> | Cultivated. | |
| <i>Vulgaris,</i> | | <i>Europe,</i> | Cultivated. | |
| <i>Sp. var.</i> | F. Poirée à cardes, | <i>Europe,</i> | Hab. of Mr. Vincent. | |
| GOMPHRENA. | | | | |
| <i>Globosa,</i> | | <i>India,</i> | Naturalized. | |
| HYDROCOTYLE. | | | | |
| <i>Asiatica,</i> | | <i>Mauritius.</i> | | |
| DAUCUS. | | | | |
| <i>Carotta,</i> | F. Carotte, | <i>Europe,</i> | Cultivated. | |
| CORIANDRUM. | | | | |
| <i>Sativum,</i> | | | Cultivated. | |
| PASTINACA. | | | | |
| <i>Sativa,</i> | | <i>Europe,</i> | Cultivated. | |
| ANETHUM. | | | | |
| <i>Fœniculum,</i> | | <i>Europe,</i> | Cultivated. | |
| APIUM. | | | | |
| <i>Petroselinum,</i> | F. Persil, | <i>Sardinia,</i> | Cultivated. | |
| <i>Graveolens,</i> | F. Céleri, | <i>Europe,</i> | Cultivated. | |

PENTANDRIA TRIGYNIA.

| | | | | |
|------------------------|---------------------|--------------------|-----------------|--|
| SEMECARPUS. | | | | |
| <i>Anacardium,</i> | F. Noix à marquer, | <i>India,</i> | Botanic Garden. | |
| SAMBUCUS. | | | | |
| <i>Nigra,</i> | F. Sureau, | <i>Europe,</i> | Botanic Garden. | |
| XYLOPHYLLA. | | | | |
| <i>Angustifolia,</i> | | <i>W. Indies,</i> | Reduit. | |
| TURNERA. | | | | |
| <i>Ulmifolia,</i> | | <i>S. America,</i> | Naturalized. | |
| BASELLA. | | | | |
| <i>Rubra,</i> | F. Brède d'angoles, | <i>India,</i> | In Gardens. | |
| PASSIFLORA. | | | | |
| <i>Cœrulea,</i> | | <i>Brazil,</i> | Naturalized. | |
| <i>Quadrangularis,</i> | F. Grenadille, | <i>Jamaica,</i> | In Gardens. | |

PENDANDRIA TETRAGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|-------------------------------|-------------------------------------|
| ARALIA. | | | | |
| <i>Capitata R.</i> | | <i>Antilles,</i> | <i>Belombre,</i> | <i>C. Telfair, Esq.</i> |
| <i>Digitata,</i> | | <i>Indies,</i> | <i>Botanic Garden Reduit,</i> | |
| | | | <i>& Bois Cheri,</i> | |
| <i>Bipinnata,</i> | | <i>Java,</i> | <i>Botanic Garden,</i> | <i>Gov. Farquhar, 1822.</i> |
| LINUM. | | | | |
| <i>Usitatissimum,</i> | <i>E. Flax,</i> | <i>S. Europe.</i> | | |

CLASSIS VI.

HEXANDRIA MONOGYNIA.

| | | | | |
|--------------------------|-------------------------|---------------------|----------------------------------|----------------------------------|
| URANIA. | | | | |
| <i>Speciosa, (*)</i> | <i>M. Raviné-hala,</i> | <i>Madagascar,</i> | <i>In Gardens,</i> | <i>Mr. Rochon, 1768.</i> |
| BROMELIA. | | | | |
| <i>Ananas,</i> | <i>E. Pine-apple,</i> | <i>S. America,</i> | <i>Cultivated.</i> | |
| TRADESCANTIA. | | | | |
| <i>Discolor,</i> | | <i>S. America,</i> | <i>In Gardens.</i> | |
| <i>Axillaris,</i> | | <i>Mauritius.</i> | | |
| CRINUM. | | | | |
| <i>Americanum,</i> | | <i>S. America,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Angustifolium Br.</i> | | <i>New Holland,</i> | <i>Botanic Garden.</i> | |
| <i>Bracteatum, Kerr.</i> | | <i>Mauritius.</i> | | |
| <i>Angustum R.</i> | | <i>Mauritius.</i> | | |
| AMARYLLIS. | | | | |
| <i>Zeylanica,</i> | | <i>Ceylon,</i> | <i>In Gardens.</i> | |
| <i>Sarniensis,</i> | <i>E. Guernseylily,</i> | <i>Guernsey,</i> | <i>In Gardens,</i> | <i>I. V. Thompson Esq. 1816.</i> |
| <i>Formosissima,</i> | | <i>S. America.</i> | <i>In Gardens.</i> | |
| LILIUM. | | | | |
| <i>Candidum,</i> | | <i>S. Europe,</i> | <i>Reduit.</i> | <i>Gov. Farquhar, 1822.</i> |
| ALLIUM. | | | | |
| <i>Porrum,</i> | <i>F. Porreau,</i> | <i>Helvetia,</i> | <i>Cultivated.</i> | |
| <i>Sativum,</i> | <i>F. Ail,</i> | <i>Sicily,</i> | <i>Cultivated.</i> | |
| <i>Cepa,</i> | <i>E. Oignon.</i> | | | |
| <i>Ascalonicum,</i> | <i>F. Echalote,</i> | <i>India.</i> | | |
| <i>Fragrans,</i> | | <i>Mauritius.</i> | | |

(*) Arbre à voyageur.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|-----------------------------|---------------------------|----------------------------------|-------------------------------------|
| GLORIOSA. | | | | |
| <i>Superba,</i> | | <i>India,</i> | <i>Bot. Garden & Reduit.</i> | <i>Stourkie 1816 from Java</i> |
| CURCULIGO. | | | | |
| <i>Sumatrana R.</i> | | <i>Sumatra,</i> | <i>Belombre & Bot. Gard.</i> | <i>C. Telfair, Esq.</i> |
| AGAPANTHUS. | | | | |
| <i>Umbellatus,</i> | | <i>Cape of G. Hope,</i> | <i>Reduit & Bois Cheri.</i> | |
| ASPARAGUS. | | | | |
| <i>Officinalis,</i> | <i>F. Asperge,</i> | <i>Europe,</i> | <i>Cultivated.</i> | |
| <i>Racemosus,</i> | | <i>India,</i> | <i>In Gardens,</i> | <i>N. Wallich, Esq. 1815.</i> |
| <i>Crispus Lam.</i> | | | | |
| DRACENA. | | | | |
| <i>Terminalis,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Reflexa,</i> | <i>F. Bois de chandelle</i> | <i>Mauritius.</i> | | |
| <i>Arborea P. Th.</i> | | <i>Mauritius.</i> | | |
| <i>Pyramidalis,</i> | | <i>Madagascar,</i> | <i>Botanic Garden,</i> | <i>Gov. Farquhar, 1822.</i> |
| <i>Latifolia,</i> | | <i>Madagascar,</i> | <i>Botanic Garden,</i> | <i>Gov. Farquhar, 1822.</i> |
| DIANELLA. | | | | |
| <i>Nemorosa,</i> | <i>F. Reine des bois,</i> | <i>Mauritius.</i> | | |
| POLIANTHES. | | | | |
| <i>Tuberosa,</i> | | <i>Java, Ceylon,</i> | <i>In Gardens.</i> | |
| YUCCA. | | | | |
| <i>Draconis,</i> | | <i>N. America,</i> | <i>Reduit.</i> | |
| ALOE. | | | | |
| <i>Vera,</i> | | <i>S. Europe,</i> | <i>In Gardens.</i> | |
| <i>Sylvestris,</i> | | <i>Bourbon,</i> | <i>Reduit,</i> | <i>Mr. Félix Jaunet,</i> |
| AGAVE. | | | | |
| <i>Americana,</i> | | <i>S. America,</i> | <i>Naturalized.</i> | |
| <i>Vivipara,</i> | | <i>Virginia,</i> | <i>Naturalized,</i> | <i>Mr. P. Serisès.</i> |
| <i>Fœtida, (*)</i> | | <i>S. America,</i> | <i>Naturalized.</i> | |
| HEMEROCALLIS. | | | | |
| <i>Fulva,</i> | | <i>China,</i> | <i>Naturalized.</i> | |
| TACCA. | | | | |
| <i>Pinnatifida,</i> | | <i>Malay Islands,</i> | <i>Botanic Garden.</i> | |
| <i>Madagascariensis</i> | <i>M. Tovoulou,</i> | <i>Madagascar,</i> | <i>Botanic Garden, Reduit</i> | <i>Mr. Cochot, 1814.</i> |
| <i>nov.</i> | | | <i>& Bois Cheri,</i> | |
| CORYPHA. | | | | |
| <i>Madagascariensis,</i> | | <i>Madagascar,</i> | <i>Reduit,</i> | <i>Gov. Farquhar, 1822.</i> |
| RHAPIS. | | | | |
| <i>Flabelliformis,</i> | | <i>Japan & China,</i> | <i>Botanic Garden,</i> | <i>Gov. Farquhar, 1822.</i> |

(*) *Tunium pitiferum*—Willemet.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---------------------------|--------------------------|-----------------------|--------------------------|-------------------------------------|
| EUTERPE. | | | | |
| <i>Pisifera Gert.</i> | | <i>Mauritius.</i> | | |
| ACHRAS. | | | | |
| <i>Sapota,</i> | F. Sapote négro, | <i>W. Indies,</i> | Botanic Garden. | |
| MIMUSOPS. | | | | |
| <i>Retusa, Willemet,</i> | | | | |
| <i>Natta, Stadtman,</i> | F. Bois de natte, | <i>Mauritius.</i> | | |
| <i>Kauki,</i> | | <i>Malay Islands,</i> | | |
| <i>Elengi,</i> | | <i>India,</i> | Reduit, | Gov. Farquhar, 1822. |
| TRIPHASIA. | | | | |
| <i>Aurantiola,</i> | F. Limonier, | <i>India,</i> | In Gardens. | |
| BERBERIS. | | | | |
| <i>Sinensis Des.</i> | | <i>China,</i> | Reduit. | Gov. Farquhar, 1822. |
| BAMBUSA. | | | | |
| <i>Arundinacea,</i> | F. Bambou, | <i>Indies,</i> | Cultivated, | Mr. de Labourdonnaye. |
| <i>Spinosa R.</i> | | | Bot. Garden & Reduit. | |
| <i>Erecta R.</i> | F. Bambou royal, | | Cultivated, | Gov. Farquhar, 1816. |
| <i>Nana R.</i> | | <i>China,</i> | Reduit, &c. | |
| COSSIGNYA. | | | | |
| <i>Pinnata Lam.</i> | F. Bois de fer de Judas, | <i>Mauritius.</i> | | |
| HEXANDRIA DIGYNIA. | | | | |
| ORIZA. | | | | |
| <i>Sativa,</i> | F. Riz, | <i>India,</i> | Cultivated. | |
| RUMEX. | | | | |
| <i>Acetosa,</i> | F. Oseille, | <i>Europe,</i> | In Gardens. | |
| <i>Patentia,</i> | | <i>Italy,</i> | In Gardens. | |
| <i>Obtusifolius,</i> | | <i>Europe,</i> | Naturalized. | |
| FLAGELLARIA. | | | | |
| <i>Indica,</i> | | <i>Mauritius.</i> | | |

CLASSIS VII.

HEPTANDRIA MONOGYNIA.

| | | | |
|------------------|--------------|-------------------|--|
| PISONIA. | | | |
| <i>Aculeata,</i> | F. Bambaras, | <i>Mauritius.</i> | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| ERYTHROSPERMA. | | | | |
| <i>Corymbosa P. Th.</i> | | <i>Mauritius.</i> | | |
| <i>Racemosa P. Th.</i> | | <i>Mauritius.</i> | | |
| <i>Amplifolia P. Th.</i> | | <i>Mauritius.</i> | | |

CLASSIS VIII.

OCTANDRIA MONOGYNIA.

| | | | | |
|---|---------------------------|-------------------|---|-------------------------|
| TROPEOLUM. | | | | |
| <i>Majus,</i> | F. Capucine, | <i>Peru,</i> | Cultivated in Gardens. | |
| OENOTHERA. | | | | |
| <i>Grandiflora,</i> | | <i>Virginia,</i> | In Gardens, | <i>C. Telfair, Esq.</i> |
| <i>Muricata,</i> | | <i>Canada,</i> | Reduit. | |
| COMBRETUM. | | | | |
| <i>Coccineum, (*)</i> | | | | |
| DODONCEA. | | | | |
| <i>Angustifolia,</i> | F. Bois reinette, | <i>Mauritius.</i> | | |
| <i>Viscosa,</i> | | <i>Mauritius.</i> | | |
| LAWSONIA. | | | | |
| <i>Spinosa,</i> | | <i>Egypt,</i> | Reduit & Belombre. | |
| DIMOCARPUS. | | | | |
| <i>Litchey,</i> | F. Letchy, | <i>China,</i> | Cultivated, | <i>Mr. Poivre.</i> |
| <i>Longana,</i> | Longane, | <i>China,</i> | | <i>Mr. Morneire.</i> |
| <i>Rambotan R.</i> | | <i>Moluccas,</i> | Botanic Garden. | |
| STADTMANNIA. | | | | |
| <i>Ferrea Lam.</i> | Bois de fer, | <i>Mauritius.</i> | | |
| SAPINDUS. | | | | |
| <i>Saponaria,</i> | F. Savonnier, | <i>W. Indies,</i> | Bot. Garden & Reduit, Mr. Bernier, officier. | |
| <i>Longifolius,</i> | | <i>India,</i> | Botanic Garden. | |
| <i>Emarginatus,</i> | | <i>India,</i> | Botanic Garden. | |
| ORNITHROPE. | | | | |
| <i>Schmeidelia,</i> | | <i>Ceylon,</i> | Botanic Garden. | |
| DORATOXYLON. | | | | |
| <i>Mauritianum P. T. F.</i> Bois de sagaye, Mauritius. | | | | |
| BURSERA. | | | | |
| <i>Paniculata,</i> | F. Bois colophane, | <i>Mauritius.</i> | | |

(*) Poivrée—Commerson.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|--|----------------------|---|-------------------------------------|
| <hr/> | | | | |
| MOLINÆA. | | | | |
| <i>Lævis,</i> | <i>F. Bois de gaulette, Mauritius.</i> | | | |
| CUPANIA. | | | | |
| <i>Alternifolia,</i> | | <i>Bourbon,</i> | <i>Bot. Garden & Reduit, Gov. Farquhar, 1822.</i> | |
| ACER. | | | | |
| <i>Pseudoplatanus,</i> | | <i>Europe,</i> | <i>Hab. of Mr. Roussel.</i> | |

OCTANDRIA TRIGYNIA.**CARDIOSPERMUM.**

| | | |
|---------------------|---------------------|-------------------|
| <i>Halicacabum,</i> | <i>F. Pokepoke,</i> | <i>Mauritius.</i> |
| <i>Corindum,</i> | | <i>Mauritius.</i> |

OCTANDRIA TETRAGYNIA.**CALANCHOE.**

| | |
|-----------------|-------------------|
| <i>Pinnata,</i> | <i>Mauritius.</i> |
|-----------------|-------------------|

CLASSIS IX.**ENNEANDRIA MONOGYNIA.****LAURUS.**

| | | | | |
|--------------------------|----------------------------|-------------------|---|----------------------|
| <i>Cinnamomum,</i> | <i>F. Canelle,</i> | <i>Ceylon,</i> | <i>Cultivated,</i> | <i>Mr. Poivre.</i> |
| <i>Nobilis,</i> | <i>F. Laurier,</i> | <i>S. Europe.</i> | <i>Bois Cheri & Hab. of Mr. Vincent</i> | |
| <i>Camphora,</i> | <i>F. Camphrier,</i> | <i>Sumatra,</i> | <i>Botanic Garden Reduit,</i> | <i>Abbé Gallois.</i> |
| <i>Persea,</i> | <i>F. Avocatier,</i> | <i>W. Indies,</i> | <i>Cultivated.</i> | <i>Mr. Lejuge.</i> |
| <i>Mauritiana, Stad.</i> | <i>Bois canelle blanc,</i> | <i>Mauritius.</i> | | |

ANACARDIUM.

| | | | |
|---------------------|-----------------------|---------------|--------------------|
| <i>Occidentale,</i> | <i>F. Acajoutier,</i> | <i>India,</i> | <i>Cultivated.</i> |
|---------------------|-----------------------|---------------|--------------------|

CASSYTHA.

| | |
|--------------------|-------------------|
| <i>Filiformis,</i> | <i>Mauritius.</i> |
|--------------------|-------------------|

CLASSIS X.**DECANDRIA MONOGYNIA.****SOPHORA.**

| | | |
|----------------------|----------------------------|--------------------|
| <i>Tomentosa,</i> | <i>Ceylon & Madag.</i> | <i>In Gardens.</i> |
| <i>Occidentalis,</i> | <i>America,</i> | <i>Reduit.</i> |

| Systematic names. | Vulgar names. | Native place. | Where cultivated. | Time and by whom introduced. |
|--------------------------|----------------------------|-----------------------------|------------------------|--------------------------------------|
| CERCIS. | | | | |
| <i>Siliquastrum,</i> | | <i>S. Europe,</i> | Hab. of Mr. Vincent. | |
| BAUHINIA. | | | | |
| <i>Candida,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Purpurea,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Acuminata,</i> | | | Reduit & Bois Cheri. | |
| <i>Tomentosa,</i> | | <i>Malabar,</i> | Reduit & Bois Cheri, | <i>C. Telfair, Esq. 1816.</i> |
| <i>Racemosa,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Scandens,</i> | | <i>India,</i> | In Gardens. | |
| <i>Virgata,</i> | | <i>India.</i> | Reduit, | <i>Gov. Farquhar, 1822.</i> |
| HYMENEA. | | | | |
| <i>Courbaril,</i> | | <i>America,</i> | Hab. of Mr. Geneve. | |
| <i>Verrucosa, (*)</i> | <i>Tandrou-voho,</i> | <i>Madagascar,</i> | In Gardens, | <i>Mr. Rochon, 1768.</i> |
| PARKINSONIA. | | | | |
| <i>Aculeata,</i> | | <i>S. America,</i> | In Gardens. | |
| CASSIA. | | | | |
| <i>Alata,</i> | | <i>Java,</i> | In Gardens. | |
| <i>Occidentalis, (†)</i> | <i>F. Casse puante,</i> | <i>W. Indies,</i> | Naturalized. | |
| <i>Fistula,</i> | <i>F. Caneficier,</i> | <i>India, Egypt,</i> | Cultivated. | |
| <i>Arborescens,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Chamaecrista,</i> | | <i>Cuba,</i> | Naturalized. | |
| <i>Tora,</i> | | <i>Indies,</i> | Naturalized. | |
| <i>Sophora,</i> | | <i>India, Egypt,</i> | Botanic Garden, | <i>Hilsenberg & Boyer, 1821.</i> |
| <i>Absus,</i> | | <i>India, Egypt,</i> | Botanic Garden, | <i>Hilsenberg & Boyer, 1821.</i> |
| <i>Sulphurea,</i> | | <i>S. America,</i> | Reduit. | |
| <i>Corymbosa,</i> | | <i>Buenos Ayres,</i> | Botanic Garden. | |
| POINCIANA. | | | | |
| <i>Pulcherrima,</i> | <i>E. Barbadoes pride,</i> | <i>India,</i> | In Gardens. | |
| CÆSALPINIA. | | | | |
| <i>Sappan,</i> | <i>F. Bois de sappan,</i> | <i>India,</i> | Cultivated for Hedges, | |
| <i>Sepiaria R.</i> | <i>E. Thorn of Decean</i> | | Cultivated for Hedges, | |
| <i>Paniculata,</i> | | <i>India,</i> | Botanic Garden. | |
| GUILANDINA. | | | | |
| <i>Bonduc,</i> | <i>F. Cadok,</i> | <i>Mauritius & Mad.</i> | | |
| HYPERANTHERA | | | | |
| <i>Moringa,</i> | <i>F. Mouroungue,</i> | <i>India, Egypt,</i> | Cultivated. | |
| CYNOMETRA. | | | | |
| <i>Cauliflora,</i> | | <i>Java,</i> | Botanic Garden, | <i>Doctor Burke.</i> |

(*) *Hymenaea Africana*—Commerson.(†) *Mad. Tserovaun*—Anguatsch.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---------------------------|-------------------------------|----------------------|--------------------------|-------------------------------------|
| GÆRTNERA. | | | | |
| <i>Racemosa</i> , (*) | F. Liane de Cythère | India, | In Gardens. | |
| ADENANTHERA. | | | | |
| <i>Pavonina</i> , | | India, | Bot. Garden & Reduit. | |
| HÆMATOXYLON. | | | | |
| <i>Campecheanum</i> , | F. Bois campeche, | S. America, | Cultivated for Hedges. | |
| RUTA. | | | | |
| <i>Graveolens</i> , | F. Rue, | E. Europe, | In Gardens. | |
| MURRAYA. | | | | |
| <i>Exotica</i> , (†) | F. Buis de Chine, | China, | In Gardens. | |
| COOKIA. | | | | |
| <i>Punctata</i> , | Wampee, | China. | | |
| QUIVISIA. | | | | |
| <i>Heterophylla</i> , | F. Bois de Quivi, | Mauritius. | | |
| TRICHILIA. (‡) | | | | |
| <i>Costata</i> sp. nov. | F. Candor ou faux mangoustan. | India. | Bot. Garden & Reduit. | |
| MELIA. | | | | |
| <i>Azedarach</i> , | F. Lilas de l'Inde, | Ceylon & India, | Naturalized. | |
| <i>Sempervirens</i> , | | Indies, | Bois Cheri, | C. Telfair, Esq. 1816. |
| JUSSIEUA. | | | | |
| <i>Repens</i> , | M. Paupoe, | Mauritius & Mad. | | |
| TRISTEMMA. (§) | | | | |
| <i>Mauritianum</i> , | Voa-touc, | Mauritius & Mad. | | |
| ANDROMEDA. | | | | |
| <i>Salicifolia</i> Lam. | | Mauritius. | | |
| <i>Buxifolia</i> Lam. | | Bourbon, | Botanic Garden, | Gov. Farquhar, 1822. |
| TERMINALIA. | | | | |
| <i>Catappa</i> , | F. Badamier, | India, | Cultivated. | |
| <i>Fatre</i> , | M. Voa-fatre, | Madagascar, | Bot. Gard. & Bois Cheri. | |
| DECANDRIA DIGYNIA. | | | | |
| HYDRANGEA. | | | | |
| <i>Hortensis</i> , | Hortensia, | China, | In Gardens. | |

(*) *Molina racemosa*—Cav.
Hiptage Madablota—Gœrtn.
Banisteria bengalensis—L.
Banisteria uncapularis.
Banisteria tetraptera—Sonnerat.

(†) *Marsania buxifolia*—Sonnerat.

(‡) An? *Ekerbegia indica*—R.

(§) *Melanostoma virusana*—Commerſon.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| DIANTHUS. | | | | |
| <i>Caryophyllus,</i> | | <i>Italy,</i> | <i>In Gardens.</i> | |
| <i>Chinensis,</i> | | <i>China,</i> | <i>In Gardens.</i> | |
| <i>Barbatus,</i> | | <i>Germany,</i> | <i>In Gardens.</i> | |

DECANDRIA TRIGYNIA.

| | | | | |
|------------------------|--------------------------|-------------------|--|--|
| SILENE. | | | | |
| <i>Armeria,</i> | | <i>Europe.</i> | | |
| ERYTHROXYLON. | | | | |
| <i>Laurifolium,</i> | <i>F. Bois de ronde,</i> | <i>Mauritius.</i> | | |
| <i>Hypericifolium,</i> | <i>F. Bois à balai,</i> | <i>Mauritius.</i> | | |
| <i>Longifolium,</i> | | <i>Mauritius.</i> | | |

DECANDRIA PENTAGYNIA.

| | | | | |
|-------------------------|-----------------------------------|----------------------------|----------------------------------|------------------------------|
| AVERRHOA. | | | | |
| <i>Carambola,</i> | <i>F. Carambolier,</i> | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Bilimbi,</i> | <i>F. Bilimbi,</i> | <i>India,</i> | <i>Bot. Garden & Reduit,</i> | <i>Mr. de Labourdonnaye.</i> |
| SPONDIAS. | | | | |
| <i>Mangifera,</i> | <i>F. Amera del'Inde,</i> | <i>India,</i> | <i>Botanic Garden.</i> | |
| <i>Dulcis,</i> | <i>F. Pomme de Cy- thère,</i> | <i>Otaheiti,</i> | <i>Bot. Garden & Reduit,</i> | <i>Mr. Commerson.</i> |
| CNESTIS. | | | | |
| <i>Glabra. (*)</i> | <i>F. Bois de rat,</i> | <i>Mauritius.</i> | | |
| <i>Dolichoides nov.</i> | | <i>Mauritius.</i> | | |
| SURIANIA. | | | | |
| <i>Maritima,</i> | | <i>Mauritius.</i> | | |
| COTYLEDON. | | | | |
| <i>Orbiculata,</i> | | <i>Cape of G. Hope,</i> | <i>Hab. of Mr. Amic.</i> | |
| OXALIS. | | | | |
| <i>Repens,</i> | | <i>Cape & Madagas.</i> | <i>Naturalized.</i> | |
| <i>Violacea,</i> | | <i>America,</i> | <i>Naturalized.</i> | |
| <i>Cernua,</i> | | <i>Cape of G. Hope,</i> | <i>In Gardens.</i> | |

DECANDRIA DECAGYNIA.

| | | | | |
|--------------------|--|-----------------|----------------|--|
| PHYTOLACCA. | | | | |
| <i>Decandra,</i> | | <i>America,</i> | <i>Reduit.</i> | |

(*) *Sarminia cauliflora*—Noronha.

CLASSIS XI.

DODECANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| AGATHOPHYLLUM. | | | | |
| <i>Aromaticum,</i> | M. Raven-sara, | Madagascar, | | |
| RHIZOPHORA. | | | | |
| <i>Mangle,</i> | F. Manglier, | Mauritius, G. Port. | | |
| <i>Mucronata,</i> | | Mauritius, G. Port. | | |
| BRUGUIERIA. | | | | |
| <i>Gymnorrhiza,</i> | | Mauritius, G. Port. | | |
| GRANGERIA. | | | | |
| <i>Mascarenhica,</i> | F. Faux buis, | Maurit. & Bourbon. | | |
| TRIUMFETTA. | | | | |
| <i>Bartramia,</i> | | Mauritius. | | |
| <i>Semitriloba,</i> | | Mauritius. | | |
| <i>Trilocuralis R.</i> | | India, | Hab. of Mr. Vincent. | |
| PORTULACCA. | | | | |
| <i>Oleracea,</i> | | Mauritius. | | |
| <i>Meridiana,</i> | | Mauritius. | | |
| LYTHRUM. | | | | |
| <i>Triflorum, (*)</i> | | Mauritius. | | |
| PEMPHIS. | | | | |
| <i>Angustifolia R.</i> | | Mauritius. | | |

DODECANDRIA TRIGYNIA.

| | | | | |
|-----------------------|------------|-------------|--|--|
| RESEDA. | | | | |
| <i>Odorata,</i> | F. Réséda, | Egypt, | In Gardens. | |
| EUPHORBIA. | | | | |
| <i>Breonii,</i> | | Madagascar, | Bot. Garden & Reduit, Gov. Farquhar, 1822. | |
| <i>Officinarum,</i> | | | | |
| <i>Tirucalli,</i> | | India, | Cultivated for Hedges. | |
| <i>Tithymaloides,</i> | | S. America, | In Gardens. | |
| <i>Pyrifolia,</i> | | Mauritius. | | |
| <i>Pilulifera,</i> | | Mauritius. | | |
| <i>Thymifolia,</i> | | Mauritius. | | |
| <i>Hypericifolia,</i> | | Mauritius. | | |
| <i>Nereifolia,</i> | | India. | | |

DODECANDRIA PENTAGYNIA.

| | | | | |
|---------------------|--|-------------|---------|--|
| BLACKWELLIA. | | | | |
| <i>Axillaris,</i> | | Madagascar, | Reduit. | |

(*) NEREA—COMMERSON.

CLASSIS XII.

ICOSANDRIA MONOGYNIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|----------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| CACTUS. | | | | |
| <i>Opuntia</i> , | F. Raquette, | America, | Cultivated. | |
| <i>Ficus indica</i> , | | America, | Bot. Garden & Reduit. | |
| <i>Tuna</i> , | | | Bot. Garden & Reduit. | |
| <i>Parasiticus</i> , | | Mauritius. | | |
| METROSIDEROS. | | | | |
| <i>Sp. nov. Floribund.</i> | | | | |
| <i>of C.</i> | | New Holland, | Botanic Garden. | |
| PSIDIUM. | | | | |
| <i>Pomiferum</i> , | F. Goyavier, | W. Indies, | Naturalized. | |
| <i>Pyriferum</i> , | | W. Indies, | Reduit. | |
| <i>Sinense Thom.</i> | F. Goyave de Chine | China, | Cultivated. | |
| EUGENIA. | | | | |
| <i>Malaccensis</i> , | F. Jam-malac, | India, | Bot. Garden & Reduit. | |
| <i>Uniflora</i> , (*) | F. Roussaille, | Brazil, | Cultivated. | |
| <i>Paniculata</i> , | | India, | Cultivated. | |
| <i>Jambos</i> , | F. Jam-rose, | India, | Cultivated. | |
| <i>Jambolana</i> , (+) | F. Jam-longue, | India, | Cultivated. | |
| <i>Ferruginea sp. nov.</i> | | Mauritius. | | |
| <i>Elliptica Lam.</i> | | Mauritius. | | |
| <i>Cymosa Lam.</i> | | Mauritius. | | |
| <i>Orbiculata Lam.</i> | | Mauritius. | | |
| <i>Caryophyllata</i> , | F. Giroflier, | Moluccas, | Cultivated, | Mr. Poivre, 1770. |
| <i>Calophylla Reinw.</i> | | Java, | Botanic Garden, | Doctor Burke. |
| <i>Speciosa</i> , | | Java, | Botanic Garden, | Doctor Burke. |
| <i>Aromatica Reinw.</i> | | Java, | Botanic Garden, | Doctor Burke. |
| <i>Macrophylla</i> , | | India, | Botanic Garden. | |
| MYRTUS. | | | | |
| <i>Communis</i> , | | S. Europe, | In Gardens. | |
| <i>Acris</i> , | | W. Indies, | Bot. Garden & Reduit. | |
| <i>Pimenta</i> , | | | | |
| <i>Sp. Longifolia</i> , | | W. Indies, | Botanic Garden. | |
| EUCALYPTUS. | | | | |
| <i>Robusta</i> , | | New Holland, | Reduit, | Mr. Félix Jauret. |
| FOETIDIA. | | | | |
| <i>Mauritiana</i> , | Bois puant, | Mauritius. | | |

(*) *Eugenia piperita*—Stadmann.(+) *Eugenia acerba*—Stadmann.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| PUNICA. | | | | |
| <i>Granatum,</i> | | <i>S. Europe,</i> | Cultivated. | |
| <i>Nana,</i> | | <i>Antilles,</i> | Reduit. | |
| AMYGDALUS. | | | | |
| <i>Persica,</i> | F. Pêcher, | <i>Persia,</i> | Cultivated. | |
| <i>Communis,</i> | F. Amandier, | | Reduit. | |
| PRUNUS. | | | | |
| <i>Domestica,</i> | F. Prunier, | <i>Europe,</i> | Naturalized. | |
| <i>Hortensis,</i> | F. Cerisier, | <i>Asia,</i> | Reduit. | |
| <i>Armeniaca,</i> | F. Abricotier, | <i>Levant,</i> | Hab. of Mr. Vincent. | |
| LAGERSTRÆMIA. | | | | |
| <i>Indica,</i> | F. Goyave à fleur, | <i>China,</i> | In Gardens. | |

ISCOSANDRIA PENTAGYNIA.

| | | | | |
|--------------------------|---------------|-------------------------|--------------------------|-------------------------------|
| MESPILUS. | | | | |
| <i>Japonica,</i> | F. Bibas, | <i>China,</i> | Cultivated. | |
| PYRUS. | | | | |
| <i>Communis,</i> | F. Poirier, | <i>Europe,</i> | Bot. Gard. & Bois Cheri, | <i>C. Telfair, Esq. 1814.</i> |
| <i>Malus,</i> | F. Pommier, | <i>Europe,</i> | Cultivated. | |
| <i>Cydonia,</i> | F. Coin, | <i>Europe,</i> | Cultivated. | |
| MESEMBRIANTHEMUM. | | | | |
| <i>Crystallinum,</i> | E. Ice-plant, | <i>Greece,</i> | Botanic Garden. | |
| <i>Acinaciforme,</i> | | <i>Cape of G. Hope,</i> | Botanic Garden. | |
| SPIRÆA. | | | | |
| <i>Corymbosa,</i> | | <i>China,</i> | In Gardens. | <i>Doctor Roxburgh.</i> |

DECANDRIA TRIGYNIA.

| | | | | |
|----------------------|--|-----------------|-----------------------|-----------------------------|
| ROSA. | | | | |
| <i>Bracteata,</i> | | <i>China,</i> | In Gardens, | <i>Governor Farquhar.</i> |
| <i>Pusilla,</i> | | <i>India,</i> | In Gardens. | |
| <i>Centifolia,</i> | | <i>Asia,</i> | In Gardens. | |
| <i>Alba,</i> | | <i>Europe,</i> | Reduit. | |
| <i>Borbonica,</i> | | <i>Bourbon,</i> | Bot. Garden & Reduit, | <i>Governor Farquhar.</i> |
| <i>Sempervirens,</i> | | <i>China,</i> | In Gardens. | |
| <i>Sempervirens,</i> | | <i>Germany,</i> | In Gardens. | |
| <i>Burgundica,</i> | | <i>Europe,</i> | In Gardens. | |
| <i>Chinensis,</i> | | <i>China,</i> | In Gardens. | |
| <i>Macrocarpa,</i> | | <i>India,</i> | Botanic Garden, | <i>Gov. Farquhar, 1822.</i> |
| <i>Longifolia,</i> | | <i>India,</i> | In Gardens. | |
| <i>Scandens,</i> | | | Reduit, | <i>Gov. Farquhar, 1822.</i> |
| <i>Canina,</i> | | | Hab. of Mr. Vincent. | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|------------------------|--|-------------------------------|-------------------------------------|
| RUBUS. | | | | |
| <i>Idæus,</i> | | <i>Europe,</i> | <i>Reduit.</i> | |
| <i>Triphyllus,</i> | | <i>Japan,</i> | <i>Reduit.</i> | |
| <i>Fruticosus,</i> | | <i>Europe,</i> | <i>Naturalized.</i> | |
| <i>Rosæfolius Sm.</i> | F. Framboisier, | <i>Mauritius.</i> | | |
| <i>Sp. Flor. Pleno,</i> | | <i>Gardens at Pam- plemousses.</i> | <i>Hab. of Mr. Cambernon.</i> | |
| FRAGARIA. | | | | |
| <i>Vesca,</i> | | <i>Europe,</i> | <i>Cultivated,</i> | <i>Mr. Chazal, 1798.</i> |
| <i>Grandiflora,</i> | | <i>S. America,</i> | <i>Cultivated,</i> | <i>Mr. Desbassayns, 1806.</i> |

CLASSIS XIII.

POLYANDRIA MONOGYNIA.

| | | | | |
|----------------------|----------------------------------|---------------------|---|-----------------------------|
| BASSIA. | | | | |
| <i>Longifolia,</i> | <i>Illipé,</i> | <i>Ceromandel,</i> | <i>Bot. Garden & Reduit, Mr. Bernier, officier.</i> | |
| DIOSPYROS. | | | | |
| <i>Ebenaster,</i> | <i>F. Bois d'ébène,</i> | <i>Mauritius.</i> | <i>Cultivated. Botanic Garden.</i> | |
| <i>Mabolo R. (*)</i> | <i>Mabolo,</i> | <i>Phillipines,</i> | | |
| <i>Kaki,</i> | | <i>China,</i> | | |
| INGA. | | | | |
| <i>Dulcis,</i> | | <i>Phillipines,</i> | <i>In Gardens.</i> | |
| MIMOSA. | | | | |
| <i>Pudica,</i> | <i>F. Sensitive,</i> | <i>Brazil,</i> | <i>In Gardens.</i> | |
| <i>Phyllocantha,</i> | <i>M. Tsauvou Tsau- vou,</i> | <i>Madagascar,</i> | <i>Reduit.</i> | |
| <i>Habbas Del.</i> | | <i>Egypt,</i> | <i>Bot. Gar. & Mr. Vincent, Hilsenberg & Boyer, 1821.</i> | |
| DESMANTHUS. | | | | |
| <i>Virgatus,</i> | | <i>W. Indies,</i> | <i>Bot. Garden & Reduit.</i> | |
| ACACIA. | | | | |
| <i>Scandens,</i> | | <i>India,</i> | <i>Bot. Gard. & Grand Port.</i> | |
| <i>Julibrissin,</i> | | <i>India,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Stipulata R.</i> | | <i>Bengal,</i> | <i>Reduit,</i> | <i>Gov. Farguhar, 1815.</i> |
| <i>Lebbek,</i> | <i>F. Bois noir,</i> | <i>Egypt,</i> | <i>Naturalized,</i> | <i>Mr. Cossigny.</i> |

(*) *Diospyros embryopteris*—Pers.
Embryopteris peregrina—Gærtner.
Embryopteris glutinifera—Willdenow.
Cavanillea philipensis—Lamarck.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|--------------------------------|--------------------------|--------------------------|-------------------------------------|
| ACACIA. | | | | |
| <i>Pterocarpa,</i> | | <i>Mauritius.</i> | | |
| <i>Leucocephala,</i> | | <i>America,</i> | In Gardens. | |
| <i>Catechu,</i> | | <i>Bengal,</i> | Botanic Garden. | |
| <i>Eburnea,</i> | | <i>India,</i> | Hab. of C. Royer, Esq. | |
| <i>Farnesiana,</i> | | <i>Mauritius.</i> | | |
| <i>Vera,</i> | | <i>Egypt,</i> | Botanic Garden. | |
| <i>Pennata,</i> | | <i>India,</i> | Cultivated for Medges. | |
| <i>Microcarpa,</i> | | <i>New Holland,</i> | Bois Cheri, | C. Telfair, Esq. |
| GLEDITSCHIA. | | | | |
| <i>Triacanthos,</i> | | <i>India,</i> | Hab. of Mr. Vincent. | |
| THILAGIUM. | | | | |
| <i>Laureir, (*)</i> | | <i>Cochinchina,</i> | Botanic Garden. | |
| ARGEMONE. | | | | |
| <i>Mexicana,</i> | | <i>W. Indies,</i> | Naturalized. | |
| BIXA. | | | | |
| <i>Orellana,</i> | F. Roucouyer, | <i>W. Indies,</i> | Cultivated. | |
| <i>Sp. Caps. Acumin.</i> | | | Bot. Garden & Reduit. | |
| NYMPHŒA. | | | | |
| <i>Stellata,</i> | | <i>Mauritius.</i> | | |
| COLOPHYLLUM. | | | | |
| <i>Inophyllum,</i> | Tacamahaca, (+) | <i>Asia, Madagascar,</i> | Bot. Garden & Reduit, | Mr. Rochoy, 1768. |
| <i>Calaba,</i> | | <i>Indies,</i> | Bot. Garden & Reduit. | |
| <i>Lanceolatum R.</i> | | <i>Mauritius.</i> | | |
| MAMMEA. | | | | |
| <i>Americana,</i> | F. Abricotier d'A- mérique, | <i>W. Indies,</i> | Reduit, | Gov. Farquhar, 1822. |
| RHEEDIA. | | | | |
| <i>Javanica Reinw.</i> | | <i>Java,</i> | Botanic Garden, | Doctor Burke. |
| LECYTHUS. | | | | |
| <i>Minor,</i> | F. Sapocayer, | <i>Carthagera,</i> | Botanic Garden. | |
| GARCINIA. | | | | |
| <i>Mangostana,</i> | F. Mangoustan, | <i>Java,</i> | Bot. Garden & Reduit, | Mr. le comte d'Estaing. |
| <i>Celebica,</i> | F. Brindaonier, | <i>India,</i> | Cultivated. | |
| GREWIA. | | | | |
| <i>Asiatica,</i> | | <i>India,</i> | Bot. Gard. & Bois Cheri. | |
| <i>Aspera R.</i> | | <i>Coromandel,</i> | Reduit, | N. Wallich, Esq. 1816. |
| THEA. | | | | |
| <i>Bohea,</i> | E. Tea-plant, | <i>China,</i> | Bot. Gard. & Bois Cheri, | Abbé Gallois. |
| <i>Viridis,</i> | | | | |

(*) *Capparis panduriformis*—Lam.
Calypthranthus—P. Thouars.

(†) *M. Fouraha.*

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|------------------------------|--|----------------------|---|-------------------------------------|
| <hr/> | | | | |
| OCHNA. | | | | |
| <i>Sp.</i> | <i>F. Arbrea à bouquet, Mauritius.</i> | | | |
| <hr/> | | | | |
| POLYANDRIA TRIGYNIA. | | | | |
| <hr/> | | | | |
| DELPHINIUM. | | | | |
| <i>Ajasis,</i> | | <i>Helvetia,</i> | <i>In Gardens.</i> | |
| <hr/> | | | | |
| NIGELLA. | | | | |
| <i>Damascena,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <hr/> | | | | |
| POLYANDRIA POLYGAMIA. | | | | |
| <hr/> | | | | |
| DILLENNIA. | | | | |
| <i>Speciosa,</i> | | <i>Java,</i> | <i>Reduit & Bois Cheri,</i> | <i>Gov. Farguhar, 1816.</i> |
| <i>Scabrella R.</i> | | <i>Chettagong,</i> | <i>Belombre,</i> | |
| <hr/> | | | | |
| ILICIIUM. | | | | |
| <i>Anisatum,</i> | <i>F. Anis étoilé,</i> | <i>China,</i> | <i>Botanic Garden.</i> | |
| <hr/> | | | | |
| MAGNOLIA. | | | | |
| <i>Fuscata,</i> | | <i>China,</i> | <i>Botanic Garden, Reduit & Bois Cheri.</i> | |
| <hr/> | | | | |
| MICHELIA. | | | | |
| <i>Champaca,</i> | <i>F. Champac,</i> | <i>India,</i> | <i>In Gardens.</i> | |
| <hr/> | | | | |
| ANNONA. | | | | |
| <i>Squamosa,</i> | <i>F. Attier,</i> | <i>S. America,</i> | <i>Naturalized.</i> | |
| <i>Reticulata,</i> | <i>F. Cœur de bœuf,</i> | <i>India,</i> | <i>Cultivated.</i> | |
| <i>Muricata,</i> | <i>F. Corossol,</i> | <i>W. Indies,</i> | <i>Cultivated.</i> | |
| <hr/> | | | | |
| UVARIA. | | | | |
| <i>Longifolia,</i> | <i>F. Canang,</i> | <i>India,</i> | <i>In Gardens.</i> | |
| <hr/> | | | | |
| UNONA. | | | | |
| <i>Uncinata Dec. (*)</i> | <i>F. Noyer de Behon,</i> | <i>India,</i> | <i>B. Gard. & Mon-Plaisir.</i> | |
| <hr/> | | | | |
| CLEMATIS. | | | | |
| <i>Viticella,</i> | | <i>S. Europe,</i> | <i>Reduit.</i> | |
| <i>Mauritiana, (+)</i> | | <i>Mauritius.</i> | | |
| <hr/> | | | | |
| ADONIS. | | | | |
| <i>Autumnalis,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <hr/> | | | | |
| RANUNCULUS. | | | | |
| <i>Reptans,</i> | <i>F. Bouton d'or,</i> | <i>Europe,</i> | <i>In Gardens.</i> | |

(*) *Unona foetidissima*—Stadmann.
Annona hexapetala—Aiton.

(+) *Clematis sarcophaga*—Commerson,
Clematis urens—Stadmann.

CLASSIS XIV.

DIDYNAMIA GYMnosPERMIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|-------------------------------------|-----------------------|-------------------------|--------------------------|--------------------------------------|
| AJUGA. | | | | |
| <i>Fruticosa R.</i> | | <i>Coromandel,</i> | <i>Reduit.</i> | |
| <i>Disticha R.</i> | | <i>India,</i> | <i>Reduit.</i> | |
| NEPETA. | | | | |
| <i>Madagascariensis, M. Oumine,</i> | | <i>Madagascar,</i> | <i>Bois Cheri.</i> | |
| LAVANDULA. | | | | |
| <i>Spica,</i> | | <i>S. Europe,</i> | <i>In Gardens.</i> | |
| MENTHA. | | | | |
| <i>Viridis,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <i>Rotundifolia,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| STACHYS. | | | | |
| <i>Mauritiana,</i> | | <i>Mauritius.</i> | | |
| BALLOTA. | | | | |
| <i>Mauritiana,</i> | | <i>Mauritius.</i> | | |
| PHLOMIS. | | | | |
| <i>Nepetæfolia,</i> | | <i>India,</i> | <i>Reduit.</i> | |
| <i>Zeylanica,</i> | | <i>Ceylon,</i> | <i>Naturalized.</i> | |
| <i>Leonurus,</i> | | <i>Cape of G. Hope,</i> | <i>Naturalized.</i> | |
| ORIGANUM. | | | | |
| <i>Majorana,</i> | <i>F. Marjolaine,</i> | <i>Asia,</i> | <i>In Gardens.</i> | |
| THYMUS. | | | | |
| <i>Vulgaris,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <i>Tragoriganum,</i> | | <i>Creta,</i> | <i>Botanic Garden,</i> | <i>Tilsenberg & Boyer, 1821.</i> |
| OCIMUM. | | | | |
| <i>Basilicum,</i> | | <i>Persia,</i> | <i>In Gardens.</i> | |
| MELISSA. | | | | |
| <i>Nepeta,</i> | | <i>S. Europe,</i> | <i>In Gardens.</i> | |
| PLECTRANTHUS. | | | | |
| <i>Forskalii,</i> | | <i>Mauritius.</i> | | |

DIDYNAMIA ANGiosPERMIA.

| | | | | |
|------------------------|------------------------|-------------------|----------------------------------|--|
| CAMPULEIA. | | | | |
| <i>Coccinea P. Th.</i> | <i>F. Herbe rouge,</i> | <i>Mauritius.</i> | | |
| ANTIRRHINUM. | | | | |
| <i>Majus,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <i>Elatine,</i> | | <i>Europe,</i> | <i>Bot. Garden & Reduit.</i> | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------------------|
| GLOXINIA. | | | | |
| <i>Speciosa,</i> | | <i>S. America,</i> | <i>Reduit,</i> | <i>Gov. Farquhar, 1822.</i> |
| CRESENTIA. | | | | |
| <i>Cujete,</i> | <i>F. Calebassier d'A-mérique,</i> | <i>S. America,</i> | <i>Cultivated.</i> | |
| TANÆCIUM. | | | | |
| <i>Pinnatum,</i> | | <i>Mozambique,</i> | <i>Botanic Garden,</i> | |
| TRUNBERGIA. | | | | |
| <i>Fragrans R.</i> | | <i>Coromandel,</i> | <i>Reduit,</i> | <i>Governor Farquhar.</i> |
| <i>Grandiflora R.</i> | | <i>Bengal,</i> | <i>Reduit,</i> | <i>Governor Farquhar.</i> |
| BARRETIERIA. | | | | |
| <i>Alba,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| RUELLIA. | | | | |
| <i>Varians,</i> | | <i>Coromandel,</i> | <i>In Gardens,</i> | |
| VOLKAMERIA. | | | | |
| <i>Kamferi,</i> | | <i>Japan,</i> | <i>In Gardens.</i> | |
| <i>Fragrans,</i> | | <i>Java,</i> | <i>In Gardens.</i> | |
| <i>Serrata,</i> | | <i>India,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Ligustrina,</i> | <i>F. Bois chenille,</i> | <i>Mauritius.</i> | | |
| HASTINGSIA. | | | | |
| <i>Coccinea, (*)</i> | | <i>Bengal,</i> | <i>Bot. Garden & Reduit,</i> | <i>Gov. Farquhar, 1822.</i> |
| VITEX. | | | | |
| <i>Negundo,</i> | | <i>India,</i> | <i>Botanic Garden.</i> | |
| <i>Trifoliata,</i> | | <i>India,</i> | <i>Reduit & Bois Cheri,</i> | <i>C. Telfair, Esq. 1816.</i> |
| BUCHNERA. | | | | |
| <i>Asiatica,</i> | | <i>Ceylon,</i> | <i>Naturalized.</i> | |
| SESAMUM. | | | | |
| <i>Indicum,</i> | <i>F. Gingili,</i> | <i>India,</i> | <i>Cultivated.</i> | |
| MELIANTHUS. | | | | |
| <i>Major,</i> | | <i>Cape of G. Hope,</i> | <i>Bot. Garden & Reduit,</i> | <i>Gov. Farquhar, 1816.</i> |
| BIGNONIA. | | | | |
| <i>Fraxinifolia,</i> | | | <i>B. Gard. & Mon-Plaisir.</i> | |
| <i>Cauliflora nov.</i> | <i>M. Touhoum-pelin,</i> | <i>Madagascar,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Stipulata R.</i> | | <i>Peru,</i> | | |
| <i>Chelonoides,</i> | | <i>India,</i> | | |
| <i>Suaveolens R.</i> | | <i>Hurdwar,</i> | | |
| <i>Grandiflora,</i> | | <i>China,</i> | | |
| <i>Suberosa R.</i> | | <i>Tanjore,</i> | <i>Bois Cheri,</i> | <i>C. Telfair, Esq. 1821,</i> |
| <i>Multijuga Wallich.</i> | | | | <i>sent by Ballard, Esq.</i> |
| <i>Capreolata,</i> | | <i>N. America,</i> | | <i>of Calcutta.</i> |
| <i>Millingtonia,</i> | | <i>India, Madagasc.</i> | | |

(*) *Holmskioldia rubra.*

CLASSIS XV.

TETRADYNAMIA SILICULOSA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|---------------------------|--------------------------|-------------------------------------|
| IBERIS. | | | | |
| <i>Umbellata,</i> | | <i>Crete & Spain,</i> | <i>Botanic Garden.</i> | |
| COCHLEARIA. | | | | |
| <i>Armoracia,</i> | <i>F. Raifort,</i> | <i>Europe,</i> | <i>In Gardens.</i> | |

TETRADYNAMIA SILIQUOSA.

| | | | | |
|---------------------|------------------------|----------------|-----------------------------|--|
| SISYMBRIUM. | | | | |
| <i>Nasturtium,</i> | <i>E. Water-cress,</i> | <i>Europe,</i> | <i>Naturalized.</i> | |
| CHEIRANTHUS. | | | | |
| <i>Cheiri,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| <i>Incanus,</i> | | <i>Spain,</i> | <i>In Gardens.</i> | |
| BRASSICA. | | | | |
| <i>Rapa,</i> | <i>F. Navet,</i> | <i>Europe,</i> | <i>Cultivated.</i> | |
| <i>Oleracea,</i> | <i>F. Chou,</i> | <i>Europe,</i> | <i>Cultivated.</i> | |
| <i>Chinensis,</i> | | <i>China,</i> | <i>Cultivated.</i> | |
| SINAPIS. | | | | |
| <i>Alba,</i> | | <i>Europe,</i> | <i>Naturalized.</i> | |
| RAPHANUS. | | | | |
| <i>Sativus,</i> | | <i>Europe,</i> | <i>Naturalized.</i> | |
| CLEOME. | | | | |
| <i>Viscosa,</i> | | <i>Ceylon,</i> | <i>Naturalized.</i> | |
| <i>Pentophylla,</i> | | <i>India,</i> | <i>Naturalized.</i> | |
| <i>Gigantea,</i> | | <i>Guinea,</i> | <i>Hab. of Mr. Roussel.</i> | |

CLASSIS XVI.

MONADELPHIA TRIANDRIA.

| | |
|------------------|-------------------------------------|
| FERRARIA. | |
| <i>Undulata,</i> | <i>Cape of G. Hope, Bois Cheri.</i> |

MONADELPHIA PENTANDRIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| WALTHERIA. | | | | |
| <i>Indica,</i> | | <i>Mauritius.</i> | | |
| MELOCHIA. | | | | |
| <i>Pyramidata,</i> | | <i>Antilles,</i> | Naturalized. | |
| <i>Corchorifolia,</i> | | <i>Mauritius.</i> | | |

MONADELPHIA HEXANDRIA.

| | | | | |
|----------------------|-------------------------|--------------------|-----------------|----------------------------------|
| CANARIUM. | | | | |
| <i>Commune,</i> | | <i>Moluccas,</i> | Botanic Garden. | |
| <i>Dubium Thomp.</i> | <i>F. Noyer du Cap,</i> | | Botanic Garden. | |
| <i>Harame (*)</i> | <i>M. Haramé,</i> | <i>Madagascar,</i> | Botanic Garden, | <i>I. V. Thompson Esq. 1814.</i> |

MONADELPHIA HEPTANDRIA.

| | | | | |
|---------------------|--|-------------------------|-------------|--|
| PELARGONIUM. | | | | |
| <i>Inquinans,</i> | | <i>Cape of G. Hope,</i> | In Gardens. | |
| <i>Hybridum,</i> | | <i>Cape of G. Hope,</i> | In Gardens. | |
| <i>Capitatum,</i> | | <i>Cape of G. Hope,</i> | In Gardens. | |

MONADELPHIA DECANDRIA.

| | | | | |
|-----------------|--|-------------------|--|--|
| HUGONIA. | | | | |
| <i>Mystax,</i> | | <i>Mauritius.</i> | | |

MONADELPHIA POLYANDRIA.

| | | | | |
|-----------------------|----------------------|---------------------------|-----------------------|-----------------------------|
| STERCULIA. | | | | |
| <i>Fetida,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Platanifolia,</i> | | <i>Japan & China,</i> | Hab. of Mr. Roussel. | |
| <i>Balanghas,</i> | | <i>Java,</i> | Botanic Garden, | <i>Doctor Burke</i> |
| HERITIERIA. | | | | |
| <i>Littoralis (+)</i> | <i>Mollavi,</i> | <i>Madagascar,</i> | Bot. Garden & Reduit. | |
| THEOBROMA. | | | | |
| <i>Cacao,</i> | <i>F. Cacaotier,</i> | <i>S. America,</i> | Cultivated. | |
| BUBROMA. | | | | |
| <i>Guazuma,</i> | | <i>Jamaica,</i> | In Gardens. | |
| ABROMA. | | | | |
| <i>Augustum,</i> | | <i>India,</i> | Reduit, | <i>Gov. Farquhar, 1815.</i> |

(*) *Bursera madagascariensis*—Chapelier.(+) *Buchozia aluuus*—Stadtmanu.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---|--|---|---|-------------------------------------|
| DOMBEYA. | | | | |
| <i>Tiliacolia,</i> <i>Ferruginea,</i> | | <i>Bourbon,</i> <i>Mauritius.</i> | Reduit. | |
| PENTAPETES. | | | | |
| <i>Phænicea,</i> | | <i>India,</i> | In Gardens. | |
| PTEROSPERMUM. | | | | |
| <i>Suberifolium,</i> | | <i>Mauritius.</i> | | |
| ADANSONIA. | | | | |
| <i>Digitata,</i> | Baobab, | <i>Senegal & Madras,</i> | Naturalized. | |
| BOMBAX. | | | | |
| <i>Pentandrum,</i> <i>Gossipinum,</i> | F. Fromager, | <i>India,</i> <i>India,</i> | Cultivated. Bot. Gard. & Mon-plaisir. | |
| SIDA. | | | | |
| <i>Mauritiana,</i> <i>Refusa,</i> <i>Angustifolia,</i> <i>Lanceolata,</i> <i>Speciosa,</i> | | <i>Mauritius.</i> <i>Mauritius.</i> <i>Mauritius.</i> <i>Mauritius.</i> <i>Ceylon,</i> | Botanic Garden. | |
| MALACHRA. | | | | |
| <i>Capitata, -</i> | | <i>Caribec Islands,</i> | Naturalized. | |
| ALTHŒA. | | | | |
| <i>Rosea,</i> | F. Passerosa, | <i>China,</i> | Reduit. | |
| MALVA. | | | | |
| <i>Parviflora,</i> | | <i>Europe,</i> | | |
| URENA. | | | | |
| <i>Lobata,</i> <i>Mauritiana Stad.</i> | F. Herbe à panier, | <i>Mauritius.</i> <i>Mauritius.</i> | | |
| GOSSYPIMUM. | | | | |
| <i>Barbadense,</i> <i>Arboceum,</i> | F. Cotonnier, | <i>America,</i> <i>India,</i> | Cultivated. Hab. of Mr. Roussel. | |
| HIBISCUS. | | | | |
| <i>Populneus,</i> <i>Populneoides,</i> <i>Tiliaceus,</i> <i>Macrophyllus R.</i> <i>Rosa Sinensis,</i> <i>Syracus,</i> <i>Mutabilis,</i> <i>Aetioschus,</i> <i>Suratensis,</i> <i>Lsculentus,</i> <i>Ficifneus,</i> <i>Liliiflorus,</i> | M. Varon, F. La modeste, F. Foulsapatte, | <i>India,</i> <i>Mauritius.</i> <i>Mauritius & Mad.</i> <i>Chettagong,</i> <i>China,</i> <i>Syria,</i> <i>India,</i> <i>India,</i> <i>India,</i> <i>India,</i> <i>W. Indies,</i> <i>Ceylon,</i> <i>Maurit. & Bourbon.</i> | Bot. Garden & Reduit. Bois Cheri. Reduit, In Gardens. Reduit, In Gardens. In Gardens. Naturalized. Cultivated. Reduit. | Gov. Farquhar, 1815. |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--|-------------------------------------|
| HIBISCUS. | | | | |
| <i>Trilobus,</i> | | <i>St. Dominica,</i> | Hab. of Mr. Roussel. | |
| <i>Sabdariffa,</i> | F. Oseille de Chine, | <i>W. Indies,</i> | In Gardens. | |
| <i>Cannabinus,</i> | | <i>India,</i> | In Gardens. | |
| <i>Lampas,</i> | | <i>Phillipines,</i> | Botanic Garden. | |
| CAMELLIA. | | | | |
| <i>Japonica,</i> | | <i>China,</i> | Botanic Garden. | |
| BARRINGTONIA. (*) | | | | |
| <i>Speciosa Forster,</i> | F. Bonnet carré, | <i>Madagascar,</i> | Botanic Garden, Reduit | |
| <i>Acutangula Gert.</i> | | <i>India,</i> | & Bois Chéri. Bot. Garden & Reduit. | |

CLASSIS XVII.

DIADELPHIA TRIANDRIA.

| | | | | |
|--------------------|----------------|------------------------|--------------|----------------------------|
| TAMARINDUS. | | | | |
| <i>Indica,</i> | F. Tamarinier, | <i>India, Madagas.</i> | Naturalized, | <i>Par les Hollandais.</i> |

DIADELPHIA HEXANDRIA.

| | | | | |
|---------------------|--|----------------|--------------|--|
| FUMARIA. | | | | |
| <i>Officinalis,</i> | | <i>Europe,</i> | Naturalized. | |

DIADELPHIA OCTANDRIA.

| | | | | |
|--------------------|--|-------------------------|-------------------|--|
| POLYGALA. | | | | |
| <i>Myrtifolia,</i> | | <i>Cape of G. Hope,</i> | Hab. of Mr. Amie. | |

DIADELPHIA DECANDRIA.

| | | | | |
|---------------------|---------------|-----------------|-----------------|-----------------------------|
| DALBERGIA. | | | | |
| <i>Robusta R.</i> | | <i>Silhet,</i> | Reduit, | <i>Gov. Farquhar, 1822.</i> |
| <i>Scandens,</i> | | <i>India,</i> | Botanic Garden, | <i>Gov. Farquhar, 1822.</i> |
| PTEROCARPUS. | | | | |
| <i>Draco,</i> | F. Sandragon, | <i>America,</i> | Cultivated. | |

(*) M. Fontaine.—This superb Tree was originally called before Forster by Captain Bougainville *Commerstonia*.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|---------------------------|------------------------------------|-------------------------|--------------------------|-------------------------------------|
| ERYTHRYNA. | | | | |
| <i>Indica,</i> | F. Nouroué, | <i>India, Madagas.</i> | Naturalized. | C. Telfair, Esq. |
| <i>Corallodendron,</i> | | <i>Antilles,</i> | Naturalized. | |
| <i>Herbacea,</i> | | <i>Carolina,</i> | Moka, | |
| <i>Lithosperma C.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| ABRUS. | | | | |
| <i>Precatorium,</i> | | <i>India,</i> | Naturalized. | |
| ULEX. | | | | |
| <i>Europæus,</i> | | <i>Europe,</i> | Naturalized. | |
| AMORPHA. | | | | |
| <i>Cærulea,</i> | | | Bot. Garden & Reduit. | |
| GOMPHOLOBIUM. | | | | |
| <i>Villosum C.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| SPARTIUM. | | | | |
| <i>Junceum,</i> | Genet d'Espagne, S. Europe, | | In Gardens. | |
| CROTOLARIA. | | | | |
| <i>Juncea,</i> | | <i>India,</i> | In Gardens. | |
| <i>Retusa,</i> | | <i>India,</i> | In Gardens. | |
| <i>Sericea,</i> | | <i>Mauritius.</i> | | |
| <i>Angulosa Lam.</i> | | <i>Mauritius.</i> | | |
| <i>Laburnifolia,</i> | | <i>India,</i> | In Gardens. | |
| <i>Bialata R.</i> | | <i>Silhet,</i> | Bot. Garden & Reduit. | |
| ARACHIS. | | | | |
| <i>Hypogæa,</i> | F. Pistache de terre | <i>China,</i> | Cultivated. | |
| LUPINUS. | | | | |
| <i>Hirsutus,</i> | | <i>Spain,</i> | In Gardens. | |
| CARPOPOGON. | | | | |
| <i>Pruriens R.</i> | F. Pois à grater, | <i>India,</i> | Bot. Garden & Reduit. | |
| PHASEOLUS. | | | | |
| <i>Vulgaris,</i> | | | Cultivated. | |
| <i>Radiatus,</i> | | <i>India,</i> | Cultivated. | |
| <i>Glaber R.</i> | | <i>Mauritius.</i> | | |
| DOLICHOS. | | | | |
| <i>Gladiatus,</i> | F. Pois de sabre, | <i>India,</i> | Cultivated. | |
| <i>Variet.</i> | | | | |
| <i>Tetragonolobus,</i> | | <i>India,</i> | Cultivated. | |
| <i>Lignosus,</i> | | <i>India,</i> | Bot. Garden & Reduit. | |
| <i>Capensis,</i> | | <i>Cape of G. Hope,</i> | Cultivated. | |
| <i>Potystachyos,</i> | | <i>Virginia.</i> | In Gardens. | |
| <i>Sarmentosus sp. n.</i> | | <i>Mauritius.</i> | | |
| <i>Cymbæformis C.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| <i>Glutinosus,</i> | | <i>India,</i> | Belombre, | C. Telfair, Esq. 1820. |
| GLYCINE. | | | | |
| <i>Bituminosa,</i> | | <i>Cape of G. Hope,</i> | Botanic Garden. | |
| <i>Paniflora,</i> | | <i>Mauritius,</i> | | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------------|-------------------------|---|-------------------------------------|
| CLITORIA. | | | | |
| <i>Ternatea,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Sp. flor. alb.</i> | | <i>Mauritius.</i> | | |
| <i>Pterophylla,</i> | | <i>Mauritius.</i> | | |
| PISUM. | | | | |
| <i>Sativum,</i> | <i>P. Pois cultivé,</i> | <i>Europe,</i> | <i>Cultivated.</i> | |
| LATHYRUS. | | | | |
| <i>Odoratus,</i> | <i>P. Pois de senteur,</i> | <i>Sicily,</i> | <i>In Gardens.</i> | |
| ERVUM. | | | | |
| <i>Lens,</i> | <i>P. Lentille,</i> | <i>Europe,</i> | <i>Cultivated.</i> | |
| CITISUS. | | | | |
| <i>Cajan,</i> | <i>M. Ambrevate,</i> | <i>India, Madagas.</i> | <i>Cultivated.</i> | |
| ROBINIA. | | | | |
| <i>Pseudo-acacia,</i> | | <i>Malabar,</i> | <i>Reduit & Habitation of Mr. Vincent.</i> | |
| COLUTRA. | | | | |
| <i>Frutescens,</i> | | <i>Cape of G. Hope,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Orientalis,</i> | | <i>Orient,</i> | <i>Hab. of Mr. Roussel.</i> | |
| ÆSCHYNEMONE. | | | | |
| <i>Grandiflora,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Egyptiaca.</i> | | <i>India, Egypt,</i> | <i>Naturalized.</i> | |
| <i>Spinulosa R.</i> | | <i>India,</i> | <i>Naturalized.</i> | |
| HEOYSARUM. | | | | |
| <i>Trigonum,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Aitium R.</i> | | <i>Caanpore,</i> | <i>Botanic Garden, Reduit & Bois Cheri.</i> | |
| <i>Gyrans,</i> | | <i>Bengal,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Vespertilionis,</i> | | <i>Bengal,</i> | <i>In Gardens.</i> | |
| <i>Pulchellum,</i> | | <i>India,</i> | <i>In Gardens.</i> | |
| <i>Australe,</i> | | <i>Tanna Island,</i> | <i>Botanic Garden, Reduit and Mou-Plaisir.</i> | |
| <i>Vaginale,</i> | | <i>India,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Gangeticum,</i> | | <i>India,</i> | <i>Naturalized.</i> | |
| <i>Heterocarpon,</i> | | <i>Mauritius.</i> | | |
| <i>Cordatum,</i> | | <i>Mauritius.</i> | | |
| <i>Bicolorum,</i> | | <i>Mauritius.</i> | | |
| <i>Coronarium,</i> | | <i>Italy,</i> | <i>Hab. of Mr. Vincent.</i> | |
| ZORNIA. | | | | |
| <i>Strobilifera,</i> | | <i>Ceylon,</i> | <i>Naturalized.</i> | |
| INDIGOFEA. | | | | |
| <i>Tinctoria,</i> | <i>P. Indigotier,</i> | <i>India,</i> | <i>Cultivated,</i> | <i>Mr. de Labourdonnaye.</i> |
| <i>Frutescens,</i> | | <i>Cape of G. Hope,</i> | <i>Bot. Garden & Reduit,</i> | <i>Gov. Farquhar, 1813.</i> |
| <i>Coriacea,</i> | | <i>Cape of G. Hope,</i> | <i>Cultivated.</i> | |
| <i>Cytisoides,</i> | | <i>Cape of G. Hope,</i> | <i>Cultivated.</i> | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|-------------------------|----------------------------------|-------------------------------------|
| PSORALEA. | | | | |
| <i>Pinnata,</i> | | <i>Cape of G. Hope,</i> | <i>Bot. Garden & Reduit,</i> | <i>I. V. Thompson Esq. 1816</i> |
| <i>Bituminosa,</i> | | <i>Italy,</i> | <i>Hab. of Mr. Roussel.</i> | |
| MEDICAGO. | | | | |
| <i>Sativa,</i> | <i>E. Lucern,</i> | <i>Spain,</i> | <i>Reduit,</i> | <i>Gov. Farguhar, 1818.</i> |

CLASSIS XVIII.

POLYADELPHIA DODECANDRIA.

| | | | | |
|-------------------|-------------------------|---------------|--------------------|--|
| CITRUS. | | | | |
| <i>Medica,</i> | <i>F. Citronnier,</i> | <i>Asia,</i> | <i>Cultivated.</i> | |
| <i>Aurantium,</i> | <i>F. Oranger,</i> | <i>India,</i> | <i>Cultivated.</i> | |
| <i>Decumanum,</i> | <i>F. Pamplémousse,</i> | <i>India,</i> | <i>Cultivated.</i> | |
| <i>Variet.</i> | | | | |

POLYADELPHIA ISOSANDRIA.

| | | | | |
|---------------------|--|---------------------|------------------------|-----------------------------|
| MELALEUCA. | | | | |
| <i>Viridiflora,</i> | | <i>New Holland,</i> | <i>Botanic Garden,</i> | <i>J. White, Esq. 1831.</i> |

POLYADELPHIA POLYANDRIA.

| | | | | |
|-------------------|---------------------------|-----------------------------|--------------------|-----------------------------|
| HYPERICUM. | | | | |
| <i>Monogynum,</i> | | <i>China,</i> | <i>In Gardens.</i> | |
| <i>Hircinum,</i> | | <i>Sicily, Crete,</i> | <i>Reduit,</i> | <i>Gov. Farguhar, 1818.</i> |
| HARONGA. | | | | |
| <i>Paniculata</i> | <i>P. Th. M. Haronga,</i> | <i>Mauritius & Mad.</i> | | |

CLASSIS XIX.

SYNGENESIA CEQUALIS.

| | | | | |
|--------------------|--|-------------------|--------------------|--|
| TRAGOPOGON. | | | | |
| <i>Pratensis,</i> | | <i>Europe,</i> | <i>In Gardens.</i> | |
| LACTUCA. | | | | |
| <i>Sativa,</i> | | <i>Persia,</i> | <i>In Gardens.</i> | |
| <i>Indica,</i> | | <i>Mauritius.</i> | | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| LEONTODON. | | | | |
| <i>Taraxacum,</i> | F. Pissenlit, | Europe, | In Gardens. | |
| CREPIS. | | | | |
| <i>Rubra,</i> | | Apulia, | Botanic Garden, | J. White, Esq. 1821. |
| CICHORIUM. | | | | |
| <i>Intybus,</i> | Chicorée sauvage, | Europe, | In Gardens. | |
| <i>Endivia,</i> | | India, | In Gardens. | |
| CINARA. | | | | |
| <i>Scolymus,</i> | F. Artichaut, | | Cultivated. | |
| <i>Cardunculus,</i> | | Barbary, | Hab. of Mr. Vincent. | |
| CARTHAMUS. | | | | |
| <i>Tinctorius,</i> | | India, Egypt, | In Gardens. | |
| SPILANTHUS. | | | | |
| <i>Acmelle,</i> | | Mauritius. | | |
| BIDENS. | | | | |
| <i>Tripartita,</i> | | Europe, | Naturalized. | |
| CACALIA. | | | | |
| <i>Sonchifolia,</i> | | India, | In Gardens. | |
| <i>Hieracisoides,</i> | | Mauritius. | | |
| TOLPIS. | | | | |
| <i>Barbata,</i> | | Sicily, | Botanic Garden, | J. White, Esq. |
| EUPATORIUM. | | | | |
| <i>Ayapana,</i> | F. Ayapana, | Brazil, | In Gardens, | Captain Baudin. |
| <i>Flexuosum,</i> | | Mauritius. | | |

SYNGENESIA SUPERFLUA.

| | | | | |
|---------------------|--|--------------------|-------------------|--|
| TANACETUM. | | | | |
| <i>Vulgare,</i> | | Europe, | Reduit. | |
| ARTEMISIA. | | | | |
| <i>Absinthium,</i> | | Europe, | In Gardens. | |
| HELICHRYSUM. | | | | |
| <i>Lucidum,</i> | | Cape of G. Hope, | Botanic Garden. | |
| GRAPHALIMUM. | | | | |
| <i>Fœtidum,</i> | | Cape of G. Hope, | Hab. of Mr. Amic. | |
| <i>Proteoidis,</i> | | Mauritius (Pouce.) | | |
| <i>Cespitosum,</i> | | Mauritius (Pouce.) | | |
| <i>Yuccæfolium,</i> | | Mauritius (Pouce.) | | |
| <i>Multicaule,</i> | | Mauritius (Pouce.) | | |
| <i>Sylvaticum,</i> | | Europe, | Naturalized. | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|------------------------------|-----------------------------|--------------------------|-------------------------------------|
| PSIADIA. | | | | |
| <i>Glutinosa,</i> | F. Baume de l'île Plate, | <i>Mauritius.</i> | | |
| ASTER. | | | | |
| <i>Chinensis,</i> | | <i>China,</i> | In Gardens | |
| ZINNIA. | | | | |
| <i>Pauciflora,</i> | | <i>Peru,</i> | In Gardens. | |
| <i>Elegans,</i> | | <i>Mexico,</i> | In Gardens, | <i>J. White, Esq. 1821.</i> |
| TAGETES. | | | | |
| <i>Erecta,</i> | | <i>Mexico.</i> | | |
| CHRYSANTHEMUM. | | | | |
| <i>Indicum,</i> | | <i>India,</i> | In Gardens. | |
| <i>Coronarium,</i> | | <i>S. Europe,</i> | In Gardens. | |
| ECLIPTA. | | | | |
| <i>Erecta,</i> | | <i>Virginia, Egypt,</i> | Naturalized. | |
| SIEGESBECKIA. | | | | |
| <i>Orientalis,</i> | F. Herbe de Flacq, | <i>Mauritius.</i> | | |
| ADENOSTEMMA. | | | | |
| <i>Viscosum</i> | Forster, M.N. Janditi-fatan, | <i>Mauritius & Mad.</i> | | |
| VERBESINA. | | | | |
| <i>Biflora,</i> | | <i>Mauritius.</i> | | |

SYNGENESIA FRUSTRANEA.

| | | | | |
|-----------------------|------------|--------------------|--|--------------------------------------|
| HELIANTHUS. | | | | |
| <i>Annus,</i> | F. Soleil, | <i>Mexico,</i> | In Gardens. | |
| <i>Tuberosus,</i> | | <i>Brazil,</i> | Hab. of Mr. Vincent. | |
| <i>Multiflorus,</i> | | | Hab. of Mr. Vincent. | |
| <i>Dentatus,</i> | | | Reduit. | |
| RUDBECKIA. | | | | |
| <i>Hirta,</i> | | <i>N. America,</i> | Hab. of Mr. Roussel. | |
| <i>Amplexicaulis,</i> | | <i>N. America,</i> | Hab. of Mr. Roussel. | |
| CENTAUREA. | | | | |
| <i>Cyanus,</i> | | <i>Europe,</i> | In Gardens. | |
| <i>Orientalis,</i> | | <i>Siberia,</i> | Botanic Garden, | <i>Hilsenberg & Boyer, 1821.</i> |
| DAHLIA. | | | | |
| <i>Purpurea,</i> | | <i>Mexico,</i> | Hab. of Mr. Rousel, Bois Cheri & Reduit, | <i>C. Telfair, Esq.</i> |

SYNGENESIA NECESSARIA.

| | | | | |
|---------------------|--|----------------|-------------|--|
| CALENDULA. | | | | |
| <i>Officinalis,</i> | | <i>Europe,</i> | In Gardens. | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| PARTHENIUM. <i>Hysterophorus,</i> | | <i>W. Indies,</i> | Naturalized. | |

CLASSIS XX.

GYNANDRIA MONANDRIA.

| | | | |
|---|---------------|--|---------------------------|
| BLETIA. <i>Tankervillea,</i> ERIDES. <i>Species,</i> | <i>China,</i> | Reduit, | <i>Governor Farquhar.</i> |
| | | Bois Cheri & Hab. of C. Royer, Esq. | |

GYNANDRIA HEXANDRIA.

| | | |
|-------------------------------------|-------------------|---------|
| ARISTOLOCHIA. <i>Anguicilla,</i> | <i>W. Indies,</i> | Reduit. |
|-------------------------------------|-------------------|---------|

CLASSIS XXI.

MONOECIA MONANDRIA.

| | | | |
|--|---------------------------------|---|--|
| ARUM. <i>Colocasia,</i> Varied. <i>Species, (*)</i> | M. Song, | <i>Mauritius & Mad.</i> | |
| | P. Cambare de la mer du Sud, | <i>S. Sea Islands,</i> | In Gardens. |
| CALLA. <i>Ethiopica,</i> FICUS. | | <i>Cape of G. Hope,</i> | Bois Cheri, <i>C. Telfair, Esq.</i> |
| <i>Carica,</i> <i>Bengalensis,</i> FICUS. | F. Figuier, B. Banian-tree, | <i>S. Europe,</i> <i>India,</i> | In Gardens. In Gardens. |
| <i>Elastica R.</i> | <i>India, Madagas.</i> | Botanic Garden, Reduit & Bois Cheri. | |

(*) Tacca Phallifera—Rumph. Amboin V. Pag. 326. Tab. 113.

| <i>Systematic names.</i> | <i>Valgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|--------------------------|------------------------|-----------------------------------|-------------------------------------|
| FICUS. | | | | |
| <i>Mauritiana,</i> | | <i>Mauritius.</i> | | |
| <i>Perebrata,</i> | | <i>Mauritius.</i> | | |
| <i>Rubra,</i> | | <i>Mauritius.</i> | | |
| <i>Avi Avi,</i> | <i>M. Avi Avi,</i> | <i>Madagascar,</i> | <i>Botanic Garden,</i> | <i>Mr. Rochon, 1768.</i> |
| <i>Coriacea,</i> | | <i>India, Madagas.</i> | <i>Champ-de-Mars.</i> | |
| ARTOCARPUS. | | | | |
| <i>Incisus,</i> | <i>F. Arbres à pain,</i> | <i>S. Sea Islands,</i> | <i>Bot. Gard. Belle-Eau &</i> | |
| | | | <i>Mr. Roussel,</i> | <i>Labillardière; Lahaye.</i> |
| <i>Integrifolius,</i> | <i>F. Jacquier,</i> | <i>India,</i> | <i>Cultivated,</i> | <i>Mr. Poivre.</i> |
| <i>Nuciferus,</i> | | <i>S. Sea Islands,</i> | <i>Cultivated.</i> | |
| CASUARINA. | | | | |
| <i>Indica,</i> | <i>F. Filao,</i> | <i>India, Madagas.</i> | <i>Cultivated,</i> | <i>Mr. Rochon, 1768.</i> |

MONOECIA TRIANDRIA.

| | | | | |
|-------------------------|-------------------------|-------------------|--------------------|--|
| TYPHA. | | | | |
| <i>Angustifolia,</i> | | <i>Mauritius.</i> | | |
| ZEA. | | | | |
| <i>Mays,</i> | <i>F. Maïs,</i> | <i>America,</i> | <i>Cultivated.</i> | |
| COIX. | | | | |
| <i>Lachryma,</i> | <i>F. Larme de job,</i> | <i>Mauritius.</i> | | |
| <i>Gigantea Koenig,</i> | | <i>India,</i> | <i>Reduit.</i> | |
| TRAGIA. | | | | |
| <i>Mercurialis,</i> | | <i>India,</i> | <i>Reduit.</i> | |
| <i>Colorata,</i> | | <i>Mauritius.</i> | | |
| HERNANDEZIA. | | | | |
| <i>Senora,</i> | | <i>Mauritius.</i> | | |

MONOECIA TETRANDRIA.

| | | | | |
|--------------------------|-------------------------|--------------------|----------------------------------|-------------------------------|
| URTICA. | | | | |
| <i>Urens,</i> | | <i>Europe,</i> | <i>Naturalized at Reduit,</i> | <i>General Darling, 1819.</i> |
| <i>Rotundifolia,</i> | | <i>Mauritius.</i> | | |
| <i>Cuspidata,</i> | | <i>Mauritius.</i> | | |
| <i>Teratocissima R.</i> | | <i>Sumatra,</i> | <i>Bot. Garden & Reduit,</i> | <i>Gov. Farquhar, 1822.</i> |
| MORUS. | | | | |
| <i>Tartarica,</i> | <i>F. Murier,</i> | <i>Tartary,</i> | <i>In Gardens,</i> | <i>Mr. Charal.</i> |
| <i>Nigra,</i> | | <i>Italy,</i> | <i>Hab. of Mr. Vincent.</i> | |
| <i>Alta,</i> | | <i>Hindustan,</i> | <i>Botanic Garden.</i> | |
| <i>Ampale,</i> | <i>M. Ampale,</i> | <i>Madagascar,</i> | <i>Bot. Garden & Reduit,</i> | <i>Mr. Rochon, 1768.</i> |
| <i>Madagascariensis,</i> | <i>F. Murier vert,</i> | <i>Madagascar,</i> | <i>Bot. Garden & Reduit,</i> | <i>Mr. Rochon, 1768.</i> |
| CICCA. | | | | |
| <i>Disticha,</i> | <i>F. Cherimbelier,</i> | <i>China,</i> | <i>Botanic Garden.</i> | |

MONOECIA PENTANDRIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|-------------------------|------------------------|--------------------------|-------------------------------------|
| AMARANTHUS. | | | | |
| <i>Ticler,</i> | | <i>China,</i> | <i>In Gardens.</i> | |
| <i>Hyp. hondriacus,</i> | | <i>Virginia,</i> | <i>In Gardens.</i> | |
| <i>Caudatus,</i> | | <i>Persia,</i> | <i>In Gardens.</i> | |
| <i>Melancholicus,</i> | | <i>India,</i> | <i>Naturalized.</i> | |
| <i>Lætus,</i> | | <i>India,</i> | <i>Naturalized.</i> | |
| <i>Spinosus,</i> | <i>M. Agne-ampetci,</i> | <i>India, Madagas.</i> | <i>Naturalized.</i> | |
| XANTHIUM. | | | | |
| <i>Spinosum,</i> | | <i>S. Europe,</i> | <i>Naturalized.</i> | |

MONOECIA HEXANDRIA.

| | | | | |
|----------------------|--------------------------|--------------------|----------------------------------|------------------------------|
| COCOS. | | | | |
| <i>Nucifera,</i> | <i>F. Cocotier,</i> | <i>India,</i> | <i>Cultivated,</i> | <i>Mr. de Labourdonnaye.</i> |
| ARECA. | | | | |
| <i>Catechu,</i> | <i>F. Arequier,</i> | <i>India,</i> | <i>Cultivated.</i> | |
| <i>Madagascariæ,</i> | <i>M. Voa-sira,</i> | <i>Madagascar,</i> | <i>Bot. Garden & Reduit.</i> | |
| <i>Borbonica,</i> | <i>F. Palmiste blanc</i> | | | |
| | <i>de Bourbon,</i> | <i>Bourbon,</i> | <i>Botanic Garden,</i> | <i>Gov. Farquhar, 1822.</i> |
| SAGUS. | | | | |
| <i>Raffia,</i> | <i>M. Raffia,</i> | <i>Madagascar,</i> | <i>Cultivated.</i> | |

MONOECIA POLYANDRIA.

| | | | | |
|-------------------|-------------------------|-----------------------|-----------------------------------|----------------------------------|
| ALBURITES. | | | | |
| <i>Triloba,</i> | <i>F. Noyer de Ben-</i> | | | <i>Mr. le comte d'Estaing.</i> |
| | <i>coule,</i> | <i>Malay Islands,</i> | <i>Cultivated,</i> | |
| BEGONIA. | | | | |
| <i>Aptera R.</i> | | <i>Mauritius.</i> | | |
| QUERCUS. | | | | |
| <i>Robur,</i> | <i>F. Chêne,</i> | <i>Europe,</i> | <i>Botanic Garden, Reduit,</i> | |
| | | | <i>Eois Cheri, Belombre</i> | |
| | | | <i>& Merdies.</i> | |
| JUGLANS. | | | | |
| <i>Regia,</i> | <i>F. Noyer,</i> | <i>Europe,</i> | <i>Reduit & Habitation of</i> | |
| | | | <i>Mr. Vincent,</i> | <i>I. V. Thompson Esq. 1816.</i> |
| CORYLUS. | | | | |
| <i>Avellana,</i> | <i>F. Noisetier,</i> | <i>Europe,</i> | <i>Reduit & Habitation of</i> | |
| | | | <i>Mr. Vincent,</i> | <i>Gov. Farquhar, 1813.</i> |
| CARYOTA. | | | | |
| <i>Urens,</i> | | <i>India,</i> | <i>Botanic Garden, Reduit</i> | |
| | | | <i>& Palma,</i> | |
| <i>Milis,</i> | | <i>Ceylon,</i> | <i>Botanic Garden.</i> | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|-----------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| AMBORA. | | | | |
| <i>Tambourissa,</i> | F. Bois tambour, | <i>Mauritius.</i> | | |
| <i>Amplifolia P. T. (*)</i> | | <i>Mauritius.</i> | | |

MONOECIA MONADELPHIA.

| | | | | |
|-------------------------|---------------------|-------------------------|--------------------------|----------------------------------|
| PINUS. | | | | |
| <i>Pinea,</i> | F. Pin, | <i>Europe,</i> | Réduit, | <i>Gov. Farguhar, 1812.</i> |
| <i>Picea,</i> | F. Sapin, | <i>Europe,</i> | Hab. of Mr. Roussel, | <i>I. V. Thompson Esq. 1816.</i> |
| THUYA. | | | | |
| <i>Orientalis,</i> | | <i>China,</i> | Hab. of Mr. Roussel. | |
| <i>Occidentalis,</i> | | <i>N. America,</i> | In Gardens. | |
| CUPRESSUS. | | | | |
| <i>Sempervirens,</i> | F. Cyprés, | <i>India,</i> | Cultivated. | |
| <i>Thyoides,</i> | | <i>Canada,</i> | Botanic Garden. | |
| PHYLLANTHUS. | | | | |
| <i>Madraspatensis,</i> | | <i>Coromandel,</i> | Réduit. | |
| <i>Niruri,</i> | | <i>India,</i> | Naturalized. | |
| <i>Kirganelia,</i> | F. Bois demoiselle, | <i>Mauritius.</i> | | |
| <i>Tenellus R.</i> | | <i>Mauritius.</i> | | |
| STILLINGFLEETIA. | | | | |
| <i>Sebifera,</i> | F. Arbre à suif, | <i>China,</i> | Bot. Garden & Réduit. | |
| CROTON. | | | | |
| <i>Aromaticum,</i> | | <i>Ceylon,</i> | Réduit. | |
| <i>Variegatum,</i> | | <i>India, Amboina,</i> | Bot. Gard. & Bois Cheri, | <i>C. Telfair, Esq.</i> |
| JATROPHA. | | | | |
| <i>Curcas,</i> | F. Pignon d'Inde, | <i>India,</i> | In Gardens. | |
| <i>Multifida,</i> | | <i>S. America,</i> | In Gardens. | |
| <i>Manihot,</i> | F. Manioc, (†) | <i>America,</i> | Cultivated, | <i>Mr. de Labourdonnaye.</i> |
| <i>Variet,</i> | F. Manioc bleu, | | Bois Cheri, | <i>C. Telfair, Esq.</i> |
| RICINUS. | | | | |
| <i>Communis,</i> | F. Palma christi, | <i>India,</i> | Naturalized. | |
| CLUYTIA. | | | | |
| <i>Pulcheilla,</i> | | <i>Cape of G. Hope,</i> | Botanic Garden. | |

MONOECIA POLYADELPHIA.

LUFFA.
Acutangula R.

(*) *Sclambis amplifolia*—New.

(†) *M. Hove-vahaza.*

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|----------------------|--------------------------|-------------------------------------|
| CURCUBITA. | | | | |
| <i>Lagenaria,</i> | F. Calebasse, | <i>America,</i> | Cultivated. | |
| <i>Pepo,</i> | | <i>India,</i> | Cultivated. | |
| <i>Melopepo,</i> | | <i>India,</i> | Cultivated. | |
| <i>Citrullus,</i> | F. Pastèque, | <i>S. Europe,</i> | Cultivated. | |
| CUCUMIS. | | | | |
| <i>Momordica,</i> | Papangaye, | <i>India,</i> | Cultivated. | |
| <i>Anguria,</i> | | <i>W. Indies,</i> | Cultivated. | |
| <i>Melo,</i> | F. Melon, | <i>Persia,</i> | Cultivated. | |

CLASSIS XXII.

DIOECIA MONANDRIA.

| | | | | |
|-------------------------|-------------|--------------------------|-----------------|-------------------|
| PANDANUS. | | | | |
| <i>Utilis,</i> | F. Vaquois, | <i>Mauritius.</i> | | |
| <i>Pedunculatus Br.</i> | | <i>New Holland,</i> | Botanic Garden. | |
| CYCAS. | | | | |
| <i>Circinnalis,</i> | F. M. Faba, | <i>Molucca, Madagas.</i> | In Gardens, | Mr. Rochem, 1766. |

DIOECIA DIANDRIA.

| | | | | |
|--------------------|--------------------|----------------|-------------|--|
| SALIX. | | | | |
| <i>Babylonica,</i> | F. Saule pleureur, | <i>Levant,</i> | In Gardens. | |

DIOECIA TETRANDRIA.

| | | | | |
|--------------------|-----------------|-------------------|--|--|
| PSYTOXYLON. | | | | |
| <i>Mauritiana,</i> | F. Bois maigre, | <i>Mauritius.</i> | | |

DIOECIA PENTANDRIA.

| | | | | |
|------------------|-------------|----------------|-------------|--|
| SPINACIA. | | | | |
| <i>Oleracea,</i> | F. Epinard, | <i>Europe,</i> | Cultivated. | |
| CANNABIS. | | | | |
| <i>Sativa,</i> | E. Hemp, | <i>India,</i> | Reduit. | |
| HUMULUS. | | | | |
| <i> Lupulus,</i> | F. Houblon, | <i>Europe,</i> | Palma. | |

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|-----------------------------|--------------------------|-------------------------------------|
| DIOSCORIDEA. | | | | |
| <i>Aculeata,</i> | F. Cambare, | <i>Bengal, Madagas.</i> | Reduit. | |
| <i>Sativa,</i> | F. Ignose, | <i>India,</i> | Reduit. | |
| <i>Bulbifera,</i> | M. Offegue, | <i>Mauritius & Mad.</i> | | |
| SMILAX. | | | | |
| <i>Borbonica,</i> | | <i>Bourbon,</i> | Bot. Garden & Reduit, | Gov. Farquhar, 1822. |
| CALAMUS. | | | | |
| <i>Niger,</i> | | <i>India,</i> | | |
| <i>Rotang,</i> | | <i>Bengal,</i> | Botanic Garden, | Gov. Farquhar, 1822. |
| PHŒNIX. | | | | |
| <i>Dactylifera,</i> | F. Dattier, | <i>Arabia,</i> | Cultivated. | |
| <i>Farinifera R.</i> | | <i>Coromandel,</i> | Botanic Garden. | |
| <i>Sylvestris R.</i> | | <i>India,</i> | Bot. Garden & Reduit, | Gov. Farquhar, 1822. |
| LODOICEA. | | | | |
| <i>Seychellarum,</i> | F. Coco de mer, | <i>Island of Praslin,</i> | Bot. Garden & Reduit. | |
| ELAIS. | | | | |
| <i>Guineensis,</i> | | <i>Guinea,</i> | Botanic Garden, | Gov. Farquhar, 1822. |
| BORASSUS. | | | | |
| <i>Flabelliformis,</i> | | <i>India,</i> | Botanic Garden. | |

DIOECIA ENNEANDRIA.

| | | | | |
|---------------------|--------------------------|-------------------|--------------------------------------|----------------------|
| TETRANTHERA. | | | | |
| <i>Laurifolia,</i> | F. Litsé, bois d'oiseau, | <i>Bengal,</i> | Naturalized. | |
| <i>Macrophylla,</i> | | <i>Bengal,</i> | Botanic Garden, Reduit & Bois Cheri, | Gov. Farquhar, 1816. |
| CARICA. | | | | |
| <i>Papaya,</i> | F. Papayer, | <i>W. Indies,</i> | Cultivated. | |

DIOECIA POLYANDRIA.

| | | | | |
|-----------------------|---------------------------|-----------------------------|-----------------|--|
| FLACOURTIA. | | | | |
| <i>Ramontchi,</i> | F. Prunier de Madagascar, | <i>Mauritius & Mad.</i> | Botanic Garden. | |
| <i>Cataphracta R.</i> | | <i>India,</i> | Botanic Garden. | |
| <i>Inermis R.</i> | | <i>Moluccas,</i> | | |
| SORINDIA. | | | | |
| <i>Pinnata P. Th.</i> | M. Voa-sorindi, (*) | <i>Madagascar,</i> | Cultivated. | |

(*) Manguier à grappes.

DIOECIA MONADELPHIA.

| <i>Systematic names.</i> | <i>Vulgar names.</i> | <i>Native place.</i> | <i>Where cultivated.</i> | <i>Time and by whom introduced.</i> |
|--------------------------|----------------------|-------------------------------|---|-------------------------------------|
| TAXUS. | | | | |
| <i>Nucifera,</i> | | <i>Japan,</i> | Hab. of Mr. Vincent. | |
| MYRISTICA. | | | | |
| <i>Aromatica,</i> | F. Muscadier, | <i>Moluccas,</i> | Cultivated, | Mr. Poivre, 1770. |
| <i>Sylvestris,</i> | Palaboi, | | Botanic Garden. | |
| CISSAMPELOS. | | | | |
| <i>Parcira,</i> | Parcira brava, | <i>Mauritius.</i> | | |
| NEPENTHES. | | | | |
| <i>Madagascariensis,</i> | M. Kapok, | <i>Madagascar,</i> | Botanic Garden, Reduit & Bois Cheri, | Mr. Hastie, 1821. |
| LATANIA. | | | | |
| <i>Rubra,</i> | | <i>Mauritius.</i> | | |
| <i>Borbonica,</i> | | <i>Maurit. & Bourbon.</i> | | |

CRYPTOGAMIA; FILICES.

| | | |
|-----------------|---------------------|-------------------|
| CYATHEA. | | |
| <i>Excelsa,</i> | F. Arbre à fougère, | <i>Mauritius.</i> |
| | (*) | |

(*) M. Fanchaa.

There still exists a considerable number of young Plants at Reduit and Bois Cheri, principally from Madagascar, introduced by His Excellency Sir ROBERT TOWNSEND FARQUHAR, Baronet, and C. TELFAIR, Esquire, which are not well known as they have not yet flowered here.

For the great number of different species of Pandanus (Vaquois), Orchidees and Ferns, the Works of Mr. *Aubert du Petit-Thouars* must be consulted.

PRINTED BY MALLAC BROTHERS,
Printers to Government,

